

AERO SAFETY SERIES

AERO Safety wet & dry vacuums

– for workshop and light industrial use





Onboard H-class LongLifeFilter

Built to perform for extended lengths of time, all AERO H-class machines are fitted with a special LongLifeFilter constructed with a durable PTFE membrane. The filter is easy to clean and maintain, ensuring maximum efficiency with dust extraction with every use.



Extended tool functionality

The power tool extension outlet has been upgraded to support Ø32 and Ø21 hose settings, making it possible to attach and control a wide range of power tools, for greater flexibility of use of your AERO vac.

Compact and lightweight vacuums with consistent performance

The AERO SAFETY series takes lightweight and compact vacuum cleaners to another level, so you can enjoy premium performance, enhanced usability, and improved safety. The AERO Safety H range comes equipped with H-Class filtering, designed to capture and contain hazardous dust – wet or dry.

The AERO 26 series is a mid-sized vacuum featuring exceptional suction performance, a 25-litre tank, Push&Clean filtering, outstanding suction performance – all available with M/H-class certification.

Practical toolbox for convenient storage

More **visible orange cable** for better worksite safety

Reduced noise level for more comfort and safety while working

Semi-axle back wheels for greater durability



Electronic safety system and upgraded auto On/Off functionality

Choose between **two hose settings** – Ø32 & Ø21

Antistatic hose system prevents electrostatic shock

Safety inlet cap ensures **no dust leakage** during handling and transport



AERO 26 Safety Series



Technical Specifications

Description	AERO 26-2M PC 220-240V GB	AERO 26-2M PC 110V GB	AERO 26-2H PC 220-240V GB	AERO 26-2H PC 110V GB
Item no.	107420045	107420044	107420053	107420052
Airflow rate (l/min.)	3700	3700	3700	3700
Vacuum (mbar)	245	245	245	245
Power Pmax (W)	1500	1500	1500	1500
Power Piece (W)	1200	1200	1200	1200
Working sound level (dB(A))	61	61	61	61
Container volume (l-max)	25	25	25	25
Mains connection (V~/Hz/A)	230/1/50-60/13	110/1/50-60/16	230/1/50-60/13	110/1/50-60/16
Length x width x height (mm)	375x390x530	375x390x530	375x390x530	375x390x530
Weight (kg)	10	10	10	10
El cable (m)	7.5	7.5	7.5	7.5
Main filter type	PET	PET	PTFE	PTFE
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean	Push&Clean
Features:				
Anti-static system	•	•	•	•
Bluetooth remote w/ AutoSense				
Auto Start Stop for power tools	•	•	•	•
Hose inlet plug	•	•	•	•
Container lifting handle	•	•	•	•
Rubber strap for cable storage	•	•	•	•
Tube parking 2-point	•	•	•	•
Non-marking rubber back wheels	•	•	•	•
Standard equipment:				
Suction Hose D32X4000 Red as CP	107413543	107413543	107413543	107413543
Suction Brush D36 Black	302002509	302002509	302002509	302002509
Extension tube steel D35X505MM CR	302000529	302000529	302000529	302000529
Crevice nozzle D36X200	29541	29541	29541	29541
Floor nozzle D36 W/D	107402331	107402331	107402331	107402331
Universal nozzle D36X115	14295	14295	14295	14295
Filter cartridge D185X140 PET M-CLASS	302000490	302000490		
Filter cartridge D185X140 PTFE HEPA H-CLASS			107420373	107420373
Toolbox	107420459	107420459	107420459	107420459
Tool Adapter D27 QUICKSYSTEM AS	302000535	302000535	302000535	302000535