### Cost effective cleaning is now even easier to use

The AS380/15 is a compact and user-friendly micro scrubber/dryer perfect for cleaning in narrow areas.

Perfect for daily indoor scrubbing and drying in light to medium duty areas such as offices, hotels, hospitals, schools, smaller supermarkets and other retail outlets.

With this compact micro scrubber/dryer you can easily clean the floors in narrow areas.

The AS380/15 is easy to use and with handles on the side of the water tank makes it highly user-friendly. The foldable handles makes it easy to transport and storage the machine.

Extremely compact machine that makes it easy to manoeuvre and transport.

- · Ergonomic, adjustable and foldable handle
- Extremely compact
- · Easy to manoeuvre, transport and storage
- Easy to use and service
- Easy to clean, refill and empty
- · Suitable for application in narrow area
- · Rotationally moulded tank
- · Robust handle lock
- Two tanks system
- · Battery and Cable versions EU and UK versions.



Picture shown may not represent model quoted

#### Standard equipment

Included accessories		Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ	
Disc Brush 3	30 mm						
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•	
Battery and C	Charger						
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•			
Battery			,				
	BATT 12V-35AH AGM C5	559503250	2	•	•		
Viper Access	Viper Accessory						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•	



# Cost effective cleaning is now even easier to use

	Included accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1			

#### Standard equipment

Standard equipment						
	Included accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Disc Brush 38	30 mm		'		'	
	BRUSH 15INCH PLASTIC	VF89801	1	•		•
Battery and C	Charger					
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			•
Battery						
	BATT 12V-35AH AGM C5	559503250	2		•	•
Viper Access	ory		'		'	
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1		•	



## Cost effective cleaning is now even easier to use

### Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V
Disc Brush 38	30 mm					
	BRUSH 15INCH PLASTIC	VF89801	1	•		•
Battery and C	Charger					
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			
Battery						
	BATT 12V-35AH AGM C5	559503250	2		•	
Viper Access	ory					
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1		•	

#### Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ	AS380/15B- EUNB NO BATTERIES WITH CHARGER
Disc Brush 38	30 mm				
	BRUSH 15INCH PLASTIC	VF89801	1	•	•
Battery and C	harger				
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1		•



	Included accessories	Ref. no.	Min. required	AS380/15I AU 15INC SCRUBBE 24V 50/60I	H BATTERIES
Battery					
	BATT 12V-35AH AGM C5	559503250	2	•	
Viper Access	ory				
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1		
Model		AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	SCRUBE	5B-UK 15 3ER 24V 60HZ	AS380/15C-EU 15 230-240V 50/60HZ
Ref. no.		50000199	5000	0200	50000201
PRODUCT F	EATURES				
Compact des	ign	•		•	•
Adjustable ha	andle	•	•	•	•
Battery include	ded	•	•	•	
Model		AS380/15C-UK 15 230-240V 50/60HZ	SCRUBE	5B-CN 15 3ER 24V 60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Ref. no.		50000202	5000	0205	50000211
PRODUCT F	EATURES				
Compact des	ign	•	•	•	•
Adjustable ha	andle	•	•	•	•
Battery include	ded				•



Model	AS380/15C-TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C-AU CABLE SCRUBBER 230-240V
Ref. no.	50000212	FANG15B	50000323
PRODUCT FEATURES			
Compact design	•	•	•
Adjustable handle	•	•	•
Battery included			
Model		AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ	AS380/15B-EUNB NO BATTERIES WITH CHARGER
Ref. no.		50000322	50000529
PRODUCT FEATURES			
Compact design		•	•
Adjustable handle		•	•
Battery included		•	
Technical specifications	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230-240V 50/60HZ
Cable length (m)/ plug type	-	-	15/EU
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	2X12V/33Ah/C20	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	68	68	72
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	150	150	140
Battery compartment size (L x W x H) (mm)	262x196x175mm	262x196x175mm	-
Gross weight (gvw) (kg)	65	65	44
Operating weight (kg)	60	60	40
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Brush pressure	20kg	20kg	20kg
Squeegee width	490mm	490mm	490mm
Solution/recovery tank capacity	15/15L	15/15L	15/15L



Technical specifications	AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Cable length (m)/ plug type	15/UK	-	-
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	-	2X12V/33Ah/C20	2X12V/33Ah/C20
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	72	68	68
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	140	150	150
Battery compartment size (L x W x H) (mm)	-	262x196x175mm	262x196x175mm
Gross weight (gvw) (kg)	44	65	65
Operating weight (kg)	40	60	60
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Brush pressure	20kg	20kg	20kg
Squeegee width	490mm	490mm	490mm
Solution/recovery tank capacity	15/15L	15/15L	15/15L
Technical specifications	AS380/15C-TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C-AU CABLE SCRUBBER 230-240V
Cable length (m)/ plug type	15/EU	-	15/AU
Brush motor (W)	250	1/3hp	250
Vacuum motor power (W)	300	1/3hp	300
Battery type	-	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	72	68	72
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	140	150	140
Battery compartment size (L x W x H) (mm)	-	262x196x175mm	-
Gross weight (gvw) (kg)	44	135lbs	44
Operating weight (kg)	40	124lbs	40
Dimensions L x W x H	780x415x590mm	30x20x21.7in	780x415x590mm
Pad/Brush Size	380mm	20in	380mm
Brush pressure	20kg	20kg	20kg
Squeegee width	490mm	20in	490mm
Solution/recovery tank capacity	15/15L	3.5gal	15/15L



Technical specifications	AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ	AS380/15B-EUNB NO BATTERIES WITH CHARGER
Cable length (m)/ plug type	-	-
Brush motor (W)	250	250
Vacuum motor power (W)	300	300
Battery type	2X12V/33Ah/C20	
Vacuum (mm H2O)	800	800
Sound pressure level (dB(A))	68	68
Productivity rate (m²/h)	750	750
Brush speed (RPM)	150	150
Battery compartment size (L x W x H) (mm)	262x196x175mm	262x196x175mm
Gross weight (gvw) (kg)	65	65
Operating weight (kg)	60	60
Dimensions L x W x H	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm
Brush pressure	20kg	20kg
Squeegee width	490mm	490mm
Solution/recovery tank capacity	15/15L	15/15L

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
Squeegee, B	ade, Skirt and Splash Guard					
9	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1			
0	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1			
Disc Brush 3	30 mm					
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•
Battery and C	Charger					
₭.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•		
Viper Access	ory					



	Accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1			
	PAD HOLDER 381MM 15	VF89817	1	0	0	0
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0	0	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0	0	0
Battery						
	BATT 12V-35AH AGM C5	559503250	2	•	•	
	BATT.12V-29Ah AGM C5	80565520	2			

 $<sup>\</sup>bullet$  Standard equipment,  $\circ$  Supplementary accessories,  $\square$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
Squeegee, Blade, Skirt and Splash Guard						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1			



	Accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	
0	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1				
Disc Brush 38	Disc Brush 380 mm						
	BRUSH 15INCH PLASTIC	VF89801	1	•		•	
Battery and C	harger						
₭.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			•	
Viper Access	ory						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•	
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•	
0	BRUSH DISC 380MM 15 PPL	VF89830	1		•		
(0)	PAD HOLDER 381MM 15	VF89817	1	0	0	0	
Squeegee Bla	ade						
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0		0	
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0		0	
Battery							
	BATT 12V-35AH AGM C5	559503250	2		•	•	



## Cost effective cleaning is now even easier to use

Accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B- CN 15 SCRUBBER 24V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ
BATT.12V-29Ah AGM C5	80565520	2			

<ul> <li>Standard equipmer</li> </ul>	it, $^{\circ}$ Supplementary accessories, $^{\square}$ Mountable equipment						
	Accessories	Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V	
Squeegee, Blade, Skirt and Splash Guard							
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1		0		
0	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1		0		
Disc Brush 3	80 mm						
	BRUSH 15INCH PLASTIC	VF89801	1	•		•	
Battery and (	Charger				'		
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1				
Viper Access	sory						
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•	•	
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•	•	
0	BRUSH DISC 380MM 15 PPL	VF89830	1		•		
	PAD HOLDER 381MM 15	VF89817	1	0	0	0	
Squeegee Blade							



Accessories		Ref. no.	Min. required	AS380/15C- TR SCRUBBER 230-240V 50/60HZ	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0	0	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0	0	0
Battery						
	BATT 12V-35AH AGM C5	559503250	2		•	
	BATT.12V-29Ah AGM C5	80565520	2			

ullet Standard equipment, ullet Supplementary accessories, ullet Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ	AS380/15B- EUNB NO BATTERIES WITH CHARGER	
Squeegee, B	ade, Skirt and Splash Guard					
9	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89502	1			
0	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89503	1			
Disc Brush 380 mm						
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	
Battery and Charger						
€.	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1		•	
Viper Accessory						



	Accessories	Ref. no.	Min. required	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ	AS380/15B- EUNB NO BATTERIES WITH CHARGER
	BLADE SQUEEGEE FRONT GUM RUBBER 490MM 19	VF89807	1	•	•
	BLADE SQUEEGEE REAR GUM RUBBER 490MM 19	VF89808	1	•	•
0	BRUSH DISC 380MM 15 PPL	VF89830	1		
	PAD HOLDER 381MM 15	VF89817	1	0	0
Squeegee Bla	ade				
	BLADE SQUEEGEE FRONT PU 490MM 19	VF89807-PU	1	0	0
	BLADE SQUEEGEE REAR PU 490MM 19	VF89808-PU	1	0	0
Battery					
	BATT 12V-35AH AGM C5	559503250	2	•	
	BATT.12V-29Ah AGM C5	80565520	2		0

