The compact size and big performance of the ATTIX 30, along with the wide range of available models, make it a perfect choice for people who move with their work from place to place. The ergonomic design and low noise level emphasise our focus on real user benefits and longer working time

The basic wet and dry vacuum cleaners are designated as the -O1 models. Automatic On/Off models (designated as the -21 models) are the choice of people who use the machine with electric hand tools because starting or stopping the tool starts and stops the vacuum, as well. An accessory Airbox is available which performs the same function when using pneumatic tools. While dealing with fine dust the Push&Clean Filter cleaning system offers a comfortable and quick way to clean the filter. Operating costs are minimised with the washable PET Fleece filter elements, and the low working noise level lets you work when others are nearby, without disturbing them. The excellent design offers you cable storage, accessorie storage and a big tool deposit to keep all you need at hand. The Multifit system allows the use of the complete range of accessories.



Picture shown may not represent model quoted

- · Compact, ergonomic and powerful
- · Push&Clean filter cleaning system takes care of filter cleaning tasks in just a few seconds
- · Washable PET fleece filter for high efficiency and low maintenance costs
- · SilentPower. High performance that is seen, but not heard
- 30 litre container volume and a Fleece filter bag for the ultimate in effective filtration

#### Standard equipment

	Included accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
Filter						
9	FILTER PET FLEECE M-CLASS D185X140	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
System 27 He	ose Vacuum Cleaner					
9	HOSE D27X3500 AS WITH TOOL ADAPTER LDPE	107406091	1			
System 36 Ho	ose Vacuum Cleaner					
(O	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1			
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1		•	•



	Included accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	UNI. HOSE Ø36X4000MM EVA	25537	1			
	UNIV HOSE WITH HAND TUBE D32X3500 PE	107409976	1	•		
System 36 Tu	be					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1			
	CURVED HAND TUBE Ø36MM SS	46691	1			
	EXTENSION TUBE D36 2X500MM ALU	107400032	1			
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	•	•	•
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1			
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1			
	TOOL ADAPTER D27/35/38	60916	1			
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	•		
System 36 Br	ush/Universal Nozzle					
~	BRUSH NOZZLE Ø36X70	5146	1			



	Included accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	BRUSH NOZZLE Ø36X230	6086	1			
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1			
~	UNIVERSAL NOZZLE D36X115	14295	1			
System 36 Va	c Floor Nozzle					
1	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1			
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	•		
7	WATER SUCTION NOZZLE Ø36X300	7270	1			
System 36 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE Ø36X300 PP	6084	1	•	•	•

#### Standard equipment

	Included accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
Filter						
	FILTER PET FLEECE M-CLASS D185X140	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
System 27 Hose Vacuum Cleaner						



	Included accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
9	HOSE D27X3500 AS WITH TOOL ADAPTER LDPE	107406091	1	•		•
System 36 Ho	ose Vacuum Cleaner					
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1			
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1			
	UNI. HOSE Ø36X4000MM EVA	25537	1			
	UNIV HOSE WITH HAND TUBE D32X3500 PE	107409976	1		•	
System 36 Tu	be					
6	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1			
	CURVED HAND TUBE Ø36MM SS	46691	1			
	EXTENSION TUBE D36 2X500MM ALU	107400032	1		•	
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1			
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1			
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1			



Rel. no.   Min.   ATTIX 30-21   ATTIX 30-21   PC 2307 50HZ   PC 1107 50HZ   CB 107 50HZ   PC 1107 50HZ   PC 1107 50HZ   CB 1107 50HZ   PC 1107 50HZ   CB 1107 50HZ   PC 1107 50HZ   CB 1107 50HZ   CB 1107 50HZ   PC 1							
TOOL ADAPTER WITH SUCTION REGULATION 107409977 1		Included accessories	Ref. no.	Min. required	PC 230V 50HZ	PC 230V 50HZ	PC 110V 50HZ
System 36 Brush/Universal Nozzle           BRUSH NOZZLE Ø36X70         5146         1           BRUSH NOZZLE Ø36X230         6086         1           RADIATOR BRUSH NOZZLE Ø36X420         5144         1           UNIVERSAL NOZZLE D36X115         14295         1           System 36 Vac Floor Nozzle         FLOOR NOZZLE D36X300MM W/D KIT         107402706         1           FLOOR NOZZLE D36X400MM W/D         302003666         1           WATER SUCTION NOZZLE Ø36X300         7270         1           System 36 Crevice/Core Nozzle		TOOL ADAPTER D27/35/38	60916	1			
BRUSH NOZZLE Ø36X70 5146 1  BRUSH NOZZLE Ø36X230 6086 1  RADIATOR BRUSH NOZZLE Ø36X420 5144 1  UNIVERSAL NOZZLE D36X115 14295 1  System 36 Vac Floor Nozzle  FLOOR NOZZLE D36X300MM W/D KIT 107402706 1  FLOOR NOZZLE D36X400MM W/D 302003666 1  WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle		TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1		•	
BRUSH NOZZLE Ø36X230 6086 1 • • • • • • • • • • • • • • • • • •	System 36 Bro	ush/Universal Nozzle					
RADIATOR BRUSH NOZZLE Ø36X420 5144 1  UNIVERSAL NOZZLE D36X115 14295 1  System 36 Vac Floor Nozzle  FLOOR NOZZLE D36X300MM W/D KIT 107402706 1  FLOOR NOZZLE D36X400MM W/D 302003666 1  WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle	~	BRUSH NOZZLE Ø36X70	5146	1			
UNIVERSAL NOZZLE D36X115 14295 1  System 36 Vac Floor Nozzle  FLOOR NOZZLE D36X300MM W/D KIT 107402706 1  FLOOR NOZZLE D36X400MM W/D 302003666 1  WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle		BRUSH NOZZLE Ø36X230	6086	1		•	
System 36 Vac Floor Nozzle           FLOOR NOZZLE D36X300MM W/D KIT         107402706         1           FLOOR NOZZLE D36X400MM W/D         302003666         1           WATER SUCTION NOZZLE Ø36X300         7270         1           System 36 Crevice/Cone Nozzle         1         1		RADIATOR BRUSH NOZZLE Ø36X420	5144	1			
FLOOR NOZZLE D36X300MM W/D KIT 107402706 1  FLOOR NOZZLE D36X400MM W/D 302003666 1  WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle	~	UNIVERSAL NOZZLE D36X115	14295	1			
FLOOR NOZZLE D36X400MM W/D 302003666 1  WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle	System 36 Va	c Floor Nozzle					
WATER SUCTION NOZZLE Ø36X300 7270 1  System 36 Crevice/Cone Nozzle	<u>ا</u>	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1			
System 36 Crevice/Cone Nozzle	4	FLOOR NOZZLE D36X400MM W/D	302003666	1			
	٧	WATER SUCTION NOZZLE Ø36X300	7270	1			
CREVICE NOZZLE Ø36X300 PP 6084 1   ●	System 36 Cr	evice/Cone Nozzle					
	<b>\</b>	CREVICE NOZZLE Ø36X300 PP	6084	1		•	



Ref. no.         107407544         302003625         302003626           PRODUCT FEATURES           Softstart         •         •           Anti-static system         •         •           Motor speed control         •         •           Automatic order- electric tools         •         •           Storage of accessories         •         •         •           Extra socked for tool         •         •         •         •           Bisposal bag 1 pcs         • </th <th>Model</th> <th>ATTIX 30-21 PC 230V 50HZ EU</th> <th>ATTIX 30-01 PC 230V 50HZ GB</th> <th>ATTIX 30-01 PC 110V 50HZ GB</th>	Model	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
Softstart         •         -           Anti-static system         •         •           Motor speed control         •         •           Automatic on/off - electric tools         •         •           Storage of accessories         •         •         •           Extra sockel for tool         •         •         •           Disposal bag 1 pcs         •         •         •         •           Model         2300 50HZ LVK         ATTIX 30-12 PC 2300 50HZ ZA         • <td< td=""><td>Ref. no.</td><td>107407544</td><td>302003625</td><td>302003626</td></td<>	Ref. no.	107407544	302003625	302003626
Anti-static system Motor speed control Automatic on/off - electric tools Storage of accessories Extra socket for tool Spisosal bag 1 pcs Fiece of filter bag 1 pcs.  Model Model ATTIX 30-21 PC 230V 50HZ UK ATTIX 30-01 PC 230V 50HZ UK ATTIX 30-01 PC 310V 50HZ UK ATTIX 30-01 PC 320V 50HZ ATTIX 30-01 PC 320V 50HZ UK ATTIX 30-01 PC 320V 50HZ UK ATTIX 30-01 PC 320V 50HZ UK ATTIX 30-01 PC 320V 50HZ ATTIX 30	PRODUCT FEATURES			
Motor speed control         •           Automatic on/off - electric tools         •           Storage of accessories         •         •           Extra socket for tool         •         •           Disposal bag 1 pcs         •         •         •           Fleece filter bag 1 pcs.         •	Softstart	•		
Automatic on/off - electric tools         •	Anti-static system	•	•	
Storage of accessories         •         •         •           Extra socket for tool         •	Motor speed control	•		
Extra socket for tool         •	Automatic on/off - electric tools	•		
Disposal bag 1 pcs         •         •         •           Fleece filter bag 1 pcs.         •         •         •           Model         ATTIX 30-21 PC 230V 50HZ ZK         •	Storage of accessories	•	•	•
Fleece filter bag 1 pcs.         •         •         •         •           Model         ATTIX 30-21 PC 230V 50HZ UK         ATTIX 30-01 PC 230V 50HZ ZA         ATTIX 30-21 PC 110V 50HZ GB           Ref. no.         302003627         302003635         107409041           PCDUCT FEATURES           Softstart         •         •         •           Anti-static system         •         •         •           Motor speed control         •         •         •           Automatic on/off - electric tools         •         •         •           Storage of accessories         •         •         •           Storage of accessories         •         •         •           Extra socket for tool         •         •         •           Disposal bag 1 pcs         •         •         •           Fleece filter bag 1 pcs.         •         •         •           Technical specifications         30         4TTIX 30-01 PC         4TTIX 30-01 PC           Technical specifications         150         4TTIX 30-01 PC         1100 Solv2 GB           Power Piec (W)         1500         1500         1150           Mains connection (V/~Hz/A)         3700         37	Extra socket for tool	•		
Model         ATTIX 30-21 PC 230V 50HZ UK         ATTIX 30-01 PC 230V 50HZ ZK         ATTIX 30-21 PC 110V 50HZ GB           Ref. no.         302003627         302003635         107409041           PRODUCT FEATURES           Softstart         •         •         •           Anti-static system         •         •         •           Motor speed control         •         •         •           Automatic on/off - electric tools         •         •         •           Storage of accessories         •         •         •           Extra socket for tool         •         •         •           Disposal bag 1 pcs         •         •         •           Fleece filter bag 1 pcs.         •         •         •           Technical specifications         2300 SOHZ EU         ATTIX 30-01 PC         200 SOHZ EU         ATTIX 30-01 PC           Power Pmax (W)         1500         1500         1150         1150           Power Piec (W)         1200         1200         100           Mains connection (V/~/Hz/A)         230/1/50-60/16         230/1/50-60/13         110/1/50/16           Airflow rate (l/min.)         3700         3700         3200           Vacuum (mbar/kPa)	Disposal bag 1 pcs			
Model         230V 50HZ UK         230V 50HZ ZA         110V 50HZ GB           Ref. no.         302003627         302003635         107409041           PRODUCT FEATURES           Softstart         •         •         •           Anti-static system         •         •         •           Motor speed control         •         •         •           Automatic on/off - electric tools         •         •         •           Storage of accessories         •         •         •           Extra socket for tool         •         •         •           Disposal bag 1 pcs         *         •         •           Fleece filter bag 1 pcs.         *         •         •           Technical specifications         230V 50HZ EB         230V 50HZ EB         2110V 50HZ EB           Power Pmax (W)         1500         1500         1150           Power Pmax (W)         1200         1200         1000           Mains connection (V/~/Hz/A)         230V/50-60/16         230V/50-60/13         1101/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         250/25         250/25         2	Fleece filter bag 1 pcs.	•	•	•
PRODUCT FEATURES           Softstart         •	Model			
Softstart         •         •         •           Anti-static system         •         •         •         •           Motor speed control         •         •         •         •           Automatic on/off - electric tools         •         •         •         •           Storage of accessories         •         •         •         •         •           Extra socket for tool         •	Ref. no.	302003627	302003635	107409041
Anti-static system         •         •         •           Motor speed control         •         •           Automatic on/off - electric tools         •         •           Storage of accessories         •         •         •           Extra socket for tool         •         •         •           Disposal bag 1 pcs         -         •         •         •           Fleece filter bag 1 pcs.         •         •         •         •         •           Technical specifications         ATTIX 30-21 PC 230V 50HZ GB         ATTIX 30-01 PC 230V 50HZ	PRODUCT FEATURES			
Motor speed control         •         •           Automatic on/off - electric tools         •         •           Storage of accessories         •         •         •           Extra socket for tool         •         •         •           Disposal bag 1 pcs         **         •         •         •           Fleece filter bag 1 pcs.         •         •         •         •         •           Technical specifications         ATTIX 30-21 PC 230V 50HZ EB         ATTIX 30-01 PC 230V 50HZ GB         ATTIX 30-01 PC 230V 50HZ EB         ATTIX 30-01 PC 230V 50HZ GB	Softstart	•		•
Automatic on/off - electric tools         •         •         •           Storage of accessories         •         •         •         •           Extra socket for tool         •         •         •         •           Disposal bag 1 pcs         Fleece filter bag 1 pcs.         • <t< td=""><td>Anti-static system</td><td>•</td><td>•</td><td>•</td></t<>	Anti-static system	•	•	•
Storage of accessories         ●         ●         ●           Extra socket for tool         ●         ●         ●           Disposal bag 1 pcs         Fleece filter bag 1 pcs.         ●         ●         ●           Technical specifications         ATTIX 30-21 PC 230V 50HZ EU         ATTIX 30-01 PC 230V 50HZ GB	Motor speed control	•		•
Extra socket for tool         •         •         •           Disposal bag 1 pcs         •         •         •         •           Fleece filter bag 1 pcs.         •         •         •         •         •           Technical specifications         ATTIX 30-21 PC 230V 50HZ GB         ATTIX 30-01 PC 110V 50HZ GB         ATTIX 30-01 PC 230V 50HZ GB         ATTIX 30-01 PC 110V 50HZ GB         ATTIX 30-01 PC 230V 50HZ GB         ATTI				
Disposal bag 1 pcs         •         •         •         •           Technical specifications         ATTIX 30-21 PC 230V 50HZ EU         ATTIX 30-01 PC 230V 50HZ GB         ATTI		•		•
Fleece filter bag 1 pcs.         ●         ●         ●           Technical specifications         ATTIX 30-21 PC 230V 50HZ EU         ATTIX 30-01 PC 230V 50HZ GB         ATTIX 30-01 PC 110V 50HZ GB           Power Pmax (W)         1500         1500         1500         1150           Power Piec (W)         1200         1200         1000           Mains connection (V/~/Hz/A)         230/1/50-60/16         230/1/50-60/13         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (I-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools	•	•	•
Technical specifications         ATTIX 30-21 PC 230V 50HZ EU         ATTIX 30-01 PC 230V 50HZ GB         ATTIX 30-01 PC 110V 50HZ GB           Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1000           Mains connection (V/~/Hz/A)         230/1/50-60/16         230/1/50-60/13         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (I-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools Storage of accessories	•	•	•
Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1000           Mains connection (V/~/Hz/A)         230/1/50-60/16         230/1/50-60/13         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (I-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools Storage of accessories Extra socket for tool	•	•	•
Power Piec (W)         1200         1200         1000           Mains connection (V/~/Hz/A)         230/1/50-60/16         230/1/50-60/13         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (I-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools Storage of accessories Extra socket for tool Disposal bag 1 pcs	• •	•	• •
Mains connection (V/~/Hz/A)       230/1/50-60/16       230/1/50-60/13       110/1/50/16         Airflow rate (I/min.)       3700       3700       3200         Vacuum (mbar/kPa)       250/25       250/25       230/23         Working sound level (dB(A))       59       59       59         El cable (m)       7.5       10       10         Container volume (I-max)       30       30       30         Filter cleaning system       Push&Clean       Push&Clean       Push&Clean         Main filter type       PET       PET       PET         Length x width x height (mm)       450x380x595       450x380x595       450x380x595	Automatic on/off - electric tools Storage of accessories Extra socket for tool Disposal bag 1 pcs Fleece filter bag 1 pcs.			
Airflow rate (I/min.)       3700       3700       3200         Vacuum (mbar/kPa)       250/25       250/25       230/23         Working sound level (dB(A))       59       59       59         El cable (m)       7.5       10       10         Container volume (I-max)       30       30       30         Filter cleaning system       Push&Clean       Push&Clean       Push&Clean         Main filter type       PET       PET       PET         Length x width x height (mm)       450x380x595       450x380x595       450x380x595	Automatic on/off - electric tools Storage of accessories Extra socket for tool Disposal bag 1 pcs Fleece filter bag 1 pcs. Technical specifications	230V 50HZ EU	230V 50HZ GB	110V 50HZ GB
Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (l-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)	230V 50HZ EU 1500	230V 50HZ GB 1500	110V 50HZ GB 1150
Working sound level (dB(A))         59         59         59           El cable (m)         7.5         10         10           Container volume (l-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools Storage of accessories Extra socket for tool Disposal bag 1 pcs Fleece filter bag 1 pcs.  Technical specifications Power Pmax (W) Power Piec (W)	230V 50HZ EU 1500 1200	230V 50HZ GB 1500 1200	110V 50HZ GB 1150 1000
El cable (m)       7.5       10       10         Container volume (l-max)       30       30       30         Filter cleaning system       Push&Clean       Push&Clean       Push&Clean         Main filter type       PET       PET       PET         Length x width x height (mm)       450x380x595       450x380x595       450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)	230V 50HZ EU 1500 1200 230/1/50-60/16	230V 50HZ GB 1500 1200 230/1/50-60/13	110V 50HZ GB 1150 1000 110/1/50/16
Container volume (I-max)         30         30         30           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)	230V 50HZ EU 1500 1200 230/1/50-60/16 3700	230V 50HZ GB 1500 1200 230/1/50-60/13 3700	110V 50HZ GB 1150 1000 110/1/50/16 3200
Filter cleaning system  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Petr  Petr  Petr  Length x width x height (mm)  450x380x595  450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)	230V 50HZ EU 1500 1200 230/1/50-60/16 3700 250/25	230V 50HZ GB 1500 1200 230/1/50-60/13 3700 250/25	110V 50HZ GB 1150 1000 110/1/50/16 3200 230/23
Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x595         450x380x595         450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))	230V 50HZ EU  1500  1200  230/1/50-60/16  3700  250/25  59	230V 50HZ GB 1500 1200 230/1/50-60/13 3700 250/25 59	110V 50HZ GB 1150 1000 110/1/50/16 3200 230/23 59
Length x width x height (mm) 450x380x595 450x380x595 450x380x595	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)	230V 50HZ EU  1500  1200  230/1/50-60/16  3700  250/25  59  7.5	230V 50HZ GB 1500 1200 230/1/50-60/13 3700 250/25 59 10	110V 50HZ GB 1150 1000 110/1/50/16 3200 230/23 59 10
	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)  Container volume (I-max)	230V 50HZ EU  1500  1200  230/1/50-60/16  3700  250/25  59  7.5  30	230V 50HZ GB 1500 1200 230/1/50-60/13 3700 250/25 59 10 30	110V 50HZ GB 1150 1000 110/1/50/16 3200 230/23 59 10 30
Weight (kg) 10 10 10	Automatic on/off - electric tools  Storage of accessories  Extra socket for tool  Disposal bag 1 pcs  Fleece filter bag 1 pcs.  Technical specifications  Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)  Container volume (I-max)  Filter cleaning system	230V 50HZ EU  1500  1200  230/1/50-60/16  3700  250/25  59  7.5  30  Push&Clean	230V 50HZ GB  1500  1200  230/1/50-60/13  3700  250/25  59  10  30  Push&Clean	110V 50HZ GB  1150  1000  110/1/50/16  3200  230/23  59  10  30  Push&Clean
	Automatic on/off - electric tools Storage of accessories Extra socket for tool Disposal bag 1 pcs Fleece filter bag 1 pcs.  Technical specifications Power Pmax (W) Power Piec (W) Mains connection (V/~/Hz/A) Airflow rate (I/min.) Vacuum (mbar/kPa) Working sound level (dB(A)) El cable (m) Container volume (I-max) Filter cleaning system Main filter type	230V 50HZ EU  1500  1200  230/1/50-60/16  3700  250/25  59  7.5  30  Push&Clean  PET	230V 50HZ GB  1500  1200  230/1/50-60/13  3700  250/25  59  10  30  Push&Clean  PET	110V 50HZ GB  1150  1000  110/1/50/16  3200  230/23  59  10  30  Push&Clean  PET



Technical specifications	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
Power Pmax (W)	1500	1500	1150
Power Piec (W)	1200	1200	1000
Mains connection (V/~/Hz/A)	230/1/50-60/13	230/1/50-60/16	110/1/50/16
Airflow rate (I/min.)	3700	3700	3200
Vacuum (mbar/kPa)	250/25	250/25	230/23
Working sound level (dB(A))	59	59	59
El cable (m)	10	7.5	7,5
Container volume (I-max)	30	30	30
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Main filter type	PET	PET	PET
Length x width x height (mm)	450x380x595	450x380x595	450x380x595
Weight (kg)	10	10	10

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
System 36 C	revice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1	0	0	0
	CREVICE NOZZLE Ø36X300 PP	6084	1	•	•	•
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	0	0	0
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	1	0	0	O
	FLAT NOZZLE Ø36MM RUBBER	40456	1	0	0	O
System 36 Bi	rush/Universal Nozzle					
~	BRUSH NOZZLE Ø36X70	5146	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	BRUSH NOZZLE Ø36X230	6086	1	0	0	0
	OVAL BRUSH NOZZLE Ø36MM	40455	1	0	0	0
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	0	0	0
	SUCTION BRUSH D36 BLACK	302002509	1	0	0	0
	UNIV NOZZLE Ø36X150 ALU	5145	1	0	0	0
~	UNIVERSAL NOZZLE D36X115	14295	1	0	0	0
System 36 Va	nc Floor Nozzle					
	COMBI NOZZLE Ø36X260MM	302002365	1	0	0	0
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	0	0	0
1	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1	0	0	0
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	•	0	0
ه	FLOOR NOZZLE Ø36X300MM	302002331	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	FLOOR NOZZLE Ø36X330 ALU	5147	1	0	0	0
~	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	0	0	0
_	NOZZLE ALU. 450XØ36MM DRY	15348	1	0	0	0
	NOZZLE ALU. 450XØ36MM WET	15349	1	0	0	0
٢	WATER SUCTION NOZZLE Ø36X300	7270	1	0	0	0
System 50 Tu	be					
	ADAPTER Ø 58-36 mmx124 mm	40452	1	0	0	0
	CURVED ALU EXT.TUBE D50X1000	15335	1	0	0	0
	CURVED HAND TUBE Ø50-36MM	15341	1	0	0	0
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	0	0	0
System 50 Br	ush/Universal Nozzle					
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	0	0	0
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	0	0	0
System 38 Ho	ose Vacuum Cleaner					
O	HOSE D38X5000 AS	107401368	1	0	0	0
	HOSE HEAT RES. 36X4000 FOR	6070	1	0	0	0
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	0	0	0
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	0	0	0
Vacuum Acce	essory Set					
15	BOILER SET Ø 36MM 4-PCS	60430	1	0	0	0
1	CAR SET Ø36MM 3 PCS	63211	1	0	0	0
	CHIP SET D50MM	61681	1	0	0	0
	HIGH TEMPERATURE KIT D40 MULTIFIT	107420498	0	0	0	0
17	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	0	0	0
	HOSE SET Ø36MM 3 PCS	63210	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
119-	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	0	0	0
P	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	0	0	0
	INDUSTRIAL SET 38	302002881	1	0	0	0
<b>1</b>	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	0	0	0
10,1	STANDARD VAC SET Ø50MM 3-PCS	6085	1	0	0	0
<u></u>	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	0	0	0
	WATER VACUUM SET Ø36MM 3- PCS	7727	1	0	0	0
19	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	0	0	0
19	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	0	0	0
1/4	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	0	0	0
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	0	0	0
System 27 Bru	ush/Universal Nozzle	,				



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
-	CURRY COMB Ø27MM	6092	1	0	0	0
System 50 Ho	se Vacuum Cleaner					
	AS HOSED50X4000MM	15815	1	0	0	0
	CHIPS HOSE Ø50X4000MM	15182	1	0	0	0
0	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	0	0	0
	HOSE OIL RESISTANT D50X40	6468	1	0	0	0
	METAL HOSE Ø50X4000MM	15013	1	0	0	o
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	0	0	0
	UNIV HOSE Ø 50X1750MM	19930	1	0	0	0
System 50 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE Ø58,6X370 PE	7102	1	0	0	0
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	0	0	0
	FLAT NOZZLE RUBBER Ø50MM	31244	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	ROUND NOZZLE Ø50MM RUBBER	19936	1	0	0	0
System 38 Cr	evice/Cone Nozzle		1			
	CREVICE NOZZLE Ø38X300 MM PP	302002890	1	0	0	0
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	0	0	0
	TOOL ADAPTER 38/50 MM	302002884	1	0	0	0
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	0	0	0
	FILTER PROTECTIVE COVER Ø185X200	11801	1	0	0	0
THUMBURY TO SERVICE THE PARTY OF THE PARTY O	MOTOR COOLING FILTER KIT	302003721	1	0	0	0
	WET FILTER SIEVE Ø143X140MM SS	15475	1	0	0	0
System 27 Ho	se Vacuum Cleaner		1			
9	HOSE D27X3500 AS WITH TOOL ADAPTER LDPE	107406091	1	0	0	0
	TOOL ADAPTER D27/36-24 AS	107404520	1	0	0	0
Mo	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
System 36 Ho	se Vacuum Cleaner					
9	HOSE AS D36X4000MM	15311	1	0	0	0
9	HOSE Ø36X4000 AS EVA	63209	1	0	0	0
	HOSE Ø36X4000 MM AS RED	107413544	0	0	0	0
6	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	0	0	0
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	0	0	o
9	UNI. HOSE Ø36X3000MM EVA	15805	1	0	0	0
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	0	•	•
	UNI. HOSE Ø36X4000MM EVA	25537	1	0	0	0
	UNIV HOSE WITH HAND TUBE D32X3500 PE	107409976	1	•	0	0
System 38 Tu	be					
	CURVED HAND TUBE D38 MM SS	302002889	1	0	0	0
1	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	0	0	0
	EXTENSION TUBES R38 2X500 KIT	107402474	1	0	0	0
System 50 Va	ac Floor Nozzle					
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	0	0	0
	NOZZLE ALU. 500XØ50MM WET	15344	1	0	0	0
System 36 Tu	ibe					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	0	0	0
81	CURVED HAND TUBE Ø36MM SS	46691	1	0	0	0
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	0	0	0
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	•	•	•
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	0	0	0
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	0	0	0
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	0	0	0
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	0	0	0
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	0	0	0
Co	TOOL ADAPTER D27/35/38	60916	1			
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	•	0	0
Disposal Bag						
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	1	0	0	0
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	0	0	0
System 32 Ho	ose Vacuum Cleaner	'				
	AS HOSED32X4000MM WITH TOOL	30657	1	0	0	0
	HOSE Ø32X4000MM AS RED	107413543	0	0	0	0
Filter						
9	FILTER ELEMENT Ø185X140 HEPA H14	302001095	1	0	0	0
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ EU	ATTIX 30-01 PC 230V 50HZ GB	ATTIX 30-01 PC 110V 50HZ GB
9	FILTER PET FLEECE M-CLASS D185X140	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
Sack Filter						
<b>*</b>	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	0	0	0
System 38 Va	c Floor Nozzle					
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	0	0	0
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	1	0	0	0
Exhaust Air C	ollector					
	EXHAUST AIR COLLECTOR	302003717	1	0	0	0
Filter Bag						
19	FLEECE FILTER BAG 5 PCS ATTIX 30	107419591	0	0	0	O

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
System 36 Ci	System 36 Crevice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1	0	0	0
	CREVICE NOZZLE Ø36X300 PP	6084	1	0	•	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	0	0	0
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	1	0	0	0
	FLAT NOZZLE Ø36MM RUBBER	40456	1	0	0	0
System 36 Br	ush/Universal Nozzle					
~	BRUSH NOZZLE Ø36X70	5146	1	0	0	0
	BRUSH NOZZLE Ø36X230	6086	1	0	•	0
<b>&amp;</b>	OVAL BRUSH NOZZLE Ø36MM	40455	1	0	0	0
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	0	0	0
	SUCTION BRUSH D36 BLACK	302002509	1	0	0	0
4	UNIV NOZZLE Ø36X150 ALU	5145	1	0	0	0
4	UNIVERSAL NOZZLE D36X115	14295	1	0	0	0
System 36 Va	c Floor Nozzle					
7	COMBI NOZZLE Ø36X260MM	302002365	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	0	0	0
1	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1	0	0	0
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	0	0	0
1	FLOOR NOZZLE Ø36X300MM	302002331	1	0	0	0
	FLOOR NOZZLE Ø36X330 ALU	5147	1	0	0	0
~	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	0	0	0
_	NOZZLE ALU. 450XØ36MM DRY	15348	1	0	0	0
	NOZZLE ALU. 450XØ36MM WET	15349	1	0	0	0
>	WATER SUCTION NOZZLE Ø36X300	7270	1	0	0	0
System 50 Tu	be					
	ADAPTER Ø 58-36 mmx124 mm	40452	1	0	0	0
	CURVED ALU EXT.TUBE D50X1000	15335	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	CURVED HAND TUBE Ø50-36MM	15341	1	0	0	0
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	0	0	0
System 50 Br	ush/Universal Nozzle					
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	0	0	0
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	0	0	0
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	0	0	0
System 38 Ho	ose Vacuum Cleaner					
O	HOSE D38X5000 AS	107401368	1	0	0	0
	HOSE HEAT RES. 36X4000 FOR	6070	1	0	0	0
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	0	0	0
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	0	0	0
Vacuum Acce	essory Set					
18	BOILER SET Ø 36MM 4-PCS	60430	1	0	0	0
1	CAR SET Ø36MM 3 PCS	63211	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	CHIP SET D50MM	61681	1	0	0	0
	HIGH TEMPERATURE KIT D40 MULTIFIT	107420498	0	0	0	o
The state of the s	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	0	0	o
	HOSE SET Ø36MM 3 PCS	63210	1	0	0	o
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	0	0	0
97	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	0	0	0
	INDUSTRIAL SET 38	302002881	1	0	0	0
<b>6</b>	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	0	0	o
10/	STANDARD VAC SET Ø50MM 3-PCS	6085	1	0	0	o
	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	0	0	0
Mex.	WATER VACUUM SET Ø36MM 3- PCS	7727	1	0	0	0
19,	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
10	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	0	0	0
1/4	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	0	0	0
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	0	0	0
System 27 Br	ush/Universal Nozzle					
-	CURRY COMB Ø27MM	6092	1	0	0	0
System 50 He	ose Vacuum Cleaner				ı	
9	AS HOSED50X4000MM	15815	1	0	0	0
	CHIPS HOSE Ø50X4000MM	15182	1	0	0	0
0	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	0	0	0
0	HOSE OIL RESISTANT D50X40	6468	1	0	0	0
	METAL HOSE Ø50X4000MM	15013	1	0	0	0
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	0	0	0
	UNIV HOSE Ø 50X1750MM	19930	1	0	0	0
System 50 Ci	revice/Cone Nozzle					



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
CREVICE	: NOZZLE Ø58,6X370 PE	7102	1	0	0	0
DIAGONA	AL TUBE NOZZLE Ø50 RUBBER	7868	1	0	0	0
FLAT NO.	ZZLE RUBBER Ø50MM	31244	1	0	0	0
ROUND N	NOZZLE Ø50MM RUBBER	19936	1	0	0	0
System 38 Crevice/Cone	Nozzle	'				
CREVICE	: NOZZLE Ø38X300 MM PP	302002890	1	0	0	0
PIPE CLE	EAN NOZZLE Ø38 R120-200MM	8054	1	0	0	0
TOOL AD	APTER 38/50 MM	302002884	1	0	0	0
Special Filter		'				
FILTER F	OR MOTOR COOLING 30/40/50	107400453	1	0	0	0
FILTER P	PROTECTIVE COVER Ø185X200	11801	1	0	0	0
MOTOR (	COOLING FILTER KIT	302003721	1	0	0	0
	TER SIEVE Ø143X140MM SS	15475	1	0	0	0
System 27 Hose Vacuum Cleaner						



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
9	HOSE D27X3500 AS WITH TOOL ADAPTER LDPE	107406091	1	•	0	•
	TOOL ADAPTER D27/36-24 AS	107404520	1	0	0	0
100-	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	0	0	0
System 36 Ho	se Vacuum Cleaner					
9	HOSE AS D36X4000MM	15311	1	0	0	0
9	HOSE Ø36X4000 AS EVA	63209	1	0	0	0
	HOSE Ø36X4000 MM AS RED	107413544	0	0	0	0
6	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	0	0	0
9	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	0	0	0
	UNI. HOSE Ø36X3000MM EVA	15805	1	0	0	0
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	0	0	0
	UNI. HOSE Ø36X4000MM EVA	25537	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	UNIV HOSE WITH HAND TUBE D32X3500 PE	107409976	1	0	•	0
System 38 Tu	be			'	'	
	CURVED HAND TUBE D38 MM SS	302002889	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	0	0	0
	EXTENSION TUBES R38 2X500 KIT	107402474	1	0	0	0
System 50 Va	System 50 Vac Floor Nozzle					
_	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	0	0	0
	NOZZLE ALU. 500XØ50MM WET	15344	1	0	0	0
System 36 Tu	be					
6	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	0	0	0
	CURVED HAND TUBE Ø36MM SS	46691	1	0	0	0
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	0	•	0
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	0	0	0
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	0	0	0
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	0	0	0
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	0	0	0
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	0	0	0
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	0	0	0
	TOOL ADAPTER D27/35/38	60916	1			
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	0	•	0
Disposal Bag						
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	1	0	0	0
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	0	0	0
System 32 Hose Vacuum Cleaner						
	AS HOSED32X4000MM WITH TOOL	30657	1	0	0	0
	HOSE Ø32X4000MM AS RED	107413543	0	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 30-21 PC 230V 50HZ UK	ATTIX 30-01 PC 230V 50HZ ZA	ATTIX 30-21 PC 110V 50HZ GB
Filter						
9	FILTER ELEMENT Ø185X140 HEPA H14	302001095	1	0	0	0
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1	0	0	0
9	FILTER PET FLEECE M-CLASS D185X140	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
Sack Filter						
<b>*</b>	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	0	0	0
System 38 Va	c Floor Nozzle					
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	0	0	0
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	1	0	0	0
Exhaust Air C	ollector					
	EXHAUST AIR COLLECTOR	302003717	1	0	0	O
Filter Bag						
10	FLEECE FILTER BAG 5 PCS ATTIX 30	107419591	0	0	0	0

