The powerful high-pressure washer with powercontrol for allround use

Combining versatility with 150 bar maximum pressure and a host of practical features, including a 10-metre ultraflex hose and long-life metal pump, the Core 150 is a great all-rounder designed to take the stress out of daily cleaning.

Make dirty exterior spaces a thing of the past with this versatile washer, which cleans sensitive surfaces just as effectively as it cleans harder areas stained with stubborn dirt. The machine is easy to stow away tidily at the end of the day, with its range of practical storage features such as internal hose reel and foldable handle with double lance holder. With the Click&Clean connectivity you can easily adapt your machine with the extensive range of Nilfisk accessories, elevating your clean to new heights.



Picture shown may not represent model quoted

- 150 bar max pressure
- · Long-life metal pump
- · Cleaning speed index: 40
- Automatic start/stop system
- · Gentle & Rough nozzle system with user guidance
- · Trolley for high mobility
- Click&Clean connectivity
- 10m ultraflex hose with internal hose reel
- Power control: Adjust pressure with a touch
- · Foldable handle and double lance holder for easy storage
- Ultra Torque engine
- Lifting handle
- · Foam sprayer (450 ml) included Use any detergent you wish and detach from the lance at any time to avoid waste

Standard equipment

	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL - EU	CORE 150-10 POWERCON- TROL - UK	CORE 150-10 POWERCON- TROL DP EU	
Nozzle - High	Pressure Washer					
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•
	POWER SPEED NOZZLE	128501153	0	•	•	•
4	Under Chassis Nozzle	6411135	0			
	Wide Angled Auto & Cycle Nozzle	6411136	0			
Brush						



The powerful high-pressure washer with powercontrol for allround use

	Included accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL - EU	CORE 150-10 POWERCON- TROL - UK	CORE 150-10 POWERCON- TROL DP EU
-	ROTARY BRUSH	6410762	0			
	ROTARY BRUSH	126411395	0			
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•
, CO	DRAIN AND TUBE 8M	128500461	0			•
	G3 LANCE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0			
	NILFISK TOWEL	128501316	0			
	NILFISK WASHING GLOVE	128501317	0			

Standard equipment

Included accessories Ref. no. Ref. no. Min. required TROL LUXURY CAR WASH CORE 150-10 POWERCON- TROL LUXURY CAR WASH TROL P EU						
Nozzle - High	Pressure Washer					
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•



	Included accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL LUXURY CAR WASH	CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU
	POWER SPEED NOZZLE	128501153	0	•	•	•
4	Under Chassis Nozzle	6411135	0	•		
	Wide Angled Auto & Cycle Nozzle	6411136	0	•		
Brush						
-	ROTARY BRUSH	6410762	0			
	ROTARY BRUSH	126411395	0			•
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•
<i>></i>	DRAIN AND TUBE 8M	128500461	0			
	G3 LANCE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	•		
	NILFISK TOWEL	128501316	0	•		



The powerful high-pressure washer with powercontrol for allround use

Included accessories		Ref. no.	Min. required	CORE 150-10 POWERCON- TROL LUXURY CAR WASH	CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU
	NILFISK WASHING GLOVE	128501317	0	•		

Standard equipment

Included accessories Ref. no. Min. required POWERCON-TROL PAD EU						
Nozzle - High	Pressure Washer					
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	
	POWER SPEED NOZZLE	128501153	0	•	•	
3	Under Chassis Nozzle	6411135	0			
	Wide Angled Auto & Cycle Nozzle	6411136	0			
Brush						
-	ROTARY BRUSH	6410762	0			
	ROTARY BRUSH	126411395	0	•		
Accessory						
No.	CLEANING TOOL BLACK	6520844	0	•	•	
	DRAIN AND TUBE 8M	128500461	0	•		



	Included accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL PAD EU	CORE 150-10 POWERCON- TROL P UK
	G3 LANCE	126481134	0	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0		
	NILFISK TOWEL	128501316	0		
	NILFISK WASHING GLOVE	128501317	0		
Model		ORE 150-10 WERCONTROL			ORE 150-10 VERCONTROL

Model	- EU	- UK	DP EU
Ref. no.	128471330	128471331	128471332
PRODUCT FEATURES			
Trolley	•	•	•
Hose reel	•	•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Pressure regulation	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Click connection, bend end	•	•	•
Soft grip	•	•	•
Hose and cable holder	•	•	•
Telescopic handle	•	•	•
Pressure regulation in nozzle	•	•	•



Model	CORE 150-10 POWERCONTROL LUXURY CAR WASH	CORE 150-10 POWERCONTROL P EU	CORE 150-10 POWERCONTROL PA EU
Ref. no.	128471333	128471334	128471335
PRODUCT FEATURES			
Trolley	•	•	•
Hose reel	•	•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Pressure regulation	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Click connection, bend end	•	•	•
Soft grip	•	•	•
Hose and cable holder	•	•	•
Telescopic handle	•	•	•
Pressure regulation in nozzle	•	•	•
Model		CORE 150-10 POWERCONTROL PAD EU	CORE 150-10 POWERCONTROL P UK
Ref. no.		128471336	128471339
PRODUCT FEATURES			
Trolley		•	•
Hose reel		•	•
Aluminium pump		•	•
Lance and spray gun storage		•	•
Storage of accessories		•	•
Cable storage		•	•
Click&Clean (C&C) nozzle concept		•	•
Pressure regulation		•	•
Gun with quick connection and swivel		•	•
Automatic start/stop		•	•
Click connection, bend end		•	•
Soft grip		•	•
Hose and cable holder		•	•



Ref. no. 128471339 128471339 PRODUCT FEATURES ************************************	Model		CORE 150-10 POWERCONTROL PAD EU	CORE 150-10 POWERCONTROL P UK
Pressure regulation in nozzle	Ref. no.		128471336	128471339
Pressure regulation in nozzie CORE 150-10 DOWERCONTROL POWERCONTROL P	PRODUCT FEATURES			
Technical specifications CORE 150-10 POWERCONTROD. POWERCONT	Telescopic handle		•	•
Technical specifications POWERCONTROL EU POWERCONTROL DE PURPUND PURP	Pressure regulation in nozzle		•	•
Rated power (kW) 2.0 2.0 2.0 Voltage/phase/frequency/current (V/~/Hz/A) 230~240 /1~/ 50~60 /10 200 20 <td>Technical specifications</td> <td>POWERCONTROL</td> <td>POWERCONTROL</td> <td>POWERCONTROL</td>	Technical specifications	POWERCONTROL	POWERCONTROL	POWERCONTROL
Voltage/phase/frequency/current (V/-/Hz/A) 230 - 240 / 1 -/ 50-60 / 10 230 - 240 / 1 -/ 50-60 / 10 250 - 240 / 1 -/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378 468 / 378 Cable length (m) 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88.2 x 37.1 x 30 88.2 x 37.1 x 30 88.2 x 37.1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 VOWERCONTROL LLX/KGAR POWERCONTROL P P EU VOWERCONTROL P P EU VOWERCONTROL LLX/KGAR POWERCONTROL P P EU VOWERCONTROL P P EU VOWERCONTROL LLX/KGAR Max 150 / max 15 Max 1	Pump Pressure (bar/MPa)	Max 150 / max 15	Max 150 / max 15	Max 150 / max 15
Voltage/phase/frequency/current (V/~IHz/A) 50-60 / 10 60-60 / 10 60-	Rated power (kW)	2,0	2,0	2,0
Cable length (m) 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 <td< td=""><td>Voltage/phase/frequency/current (V/~/Hz/A)</td><td></td><td></td><td></td></td<>	Voltage/phase/frequency/current (V/~/Hz/A)			
Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 20 CORE 150-10 POWERCONTROL PEU CORE 150-10 POWERCONTROL PEU CORE 150-10 POWERCONTROL PEU Max 150 / max 15 Max 150 / max 16 Max 150 / max 16 Max 150 / max 16 Max 150 / max 15 Max 150 / max 15 <td>Water flow Qmax/Qiec (I/h)</td> <td>468 / 378</td> <td>468 / 378</td> <td>468 / 378</td>	Water flow Qmax/Qiec (I/h)	468 / 378	468 / 378	468 / 378
Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88.2 x 37,1 x 30 88.2 x 37,1 x 30 88.2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL UXURY CAR UXURY CAR UXURY CAR UXUSHY POWERCONTROL P EU CORE 150-10 POWERCONTROL P EU Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1-/ 50-60 / 10 230 - 240 / 1-/ 50-60 / 10 50-60 / 10 50-60 / 10 468 / 378	Cable length (m)	5	5	5
Length x width x height (cm) 88.2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 1	Hose length (m)	10	10	10
Weight (kg) 11,2 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL LXXIRY CAR WASH CORE 150-10 POWERCONTROL PAEUT CORE 150-10 POWERCONTROL PAEUT CORE 150-10 POWERCONTROL PAEUT Pump Pressure (bar/MPa) Max 150 / max 15 POWERCONTROL PUMS PUMS PADE UT POWERCONTROL PUMS PUMS PUMS PUMS PUMS PUMS PUMS PUMS	Max. inlet temperature (°C)	40	40	40
Technical specifications CORE 150-10 POWERCONTROL LUXURY CAR LUXURY CAR LUXURY CAR PEU CORE 150-10 POWERCONTROL POWERCONTROL POWERCONTROL PACEU Pump Pressure (bar/MPa) Max 150 / max 15 40 2,0	Length x width x height (cm)	88,2 x 37,1 x 30	88,2 x 37,1 x 30	88,2 x 37,1 x 30
Technical specifications POWERCONTROL LUXURY CAR WASH POWERCONTROL PEUT POWERCONTROL PEUT Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1 ~/ 50-60 / 10 230 - 240 / 1 ~/ 50-60 / 10 230 - 240 / 1 ~/ 50-60 / 10 Water flow Qmax/Qiec (l/h) 468 / 378 468 / 378 468 / 378 Cable length (m) 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications POWERCONTROL POWERCON	Weight (kg)	11,2	11,2	11,2
Rated power (kW) 2,0 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378 468 / 378 Cable length (m) 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL	Technical specifications	POWERCONTROL LUXURY CAR	POWERCONTROL	POWERCONTROL
Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 200 - 240 / 1~/ 50-60 / 10<	Pump Pressure (bar/MPa)	Max 150 / max 15	Max 150 / max 15	Max 150 / max 15
Voltage/phase/frequency/current (V/~/Hz/A) 50-60 / 10 50-60 / 10 50-60 / 10 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378 468 / 378 468 / 378 Cable length (m) 5 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL PAD EU POWERCONTROL PUK POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Rated power (kW)	2,0	2,0	2,0
Cable length (m) 5 5 5 Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Voltage/phase/frequency/current (V/~/Hz/A)			
Hose length (m) 10 10 10 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL POWERCONT	Water flow Qmax/Qiec (I/h)	468 / 378	468 / 378	468 / 378
Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL POWERCONTROL PUK POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Cable length (m)	5	5	5
Length x width x height (cm) 88,2 x 37,1 x 30 88,2 x 37,1 x 30 88,2 x 37,1 x 30 Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL PAD EU POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Hose length (m)	10	10	10
Weight (kg) 11,2 11,2 11,2 Technical specifications CORE 150-10 POWERCONTROL PAD EU CORE 150-10 POWERCONTROL POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Max. inlet temperature (°C)	40	40	40
Technical specifications CORE 150-10 POWERCONTROL PAD EU CORE 150-10 POWERCONTROL PUK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Length x width x height (cm)	88,2 x 37,1 x 30	88,2 x 37,1 x 30	88,2 x 37,1 x 30
Technical specifications POWERCONTROL P UK POWERCONTROL P UK Pump Pressure (bar/MPa) Max 150 / max 15 Max 150 / max 15 Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Weight (kg)	11,2	11,2	11,2
Rated power (kW) 2,0 2,0 Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Technical specifications		POWERCONTROL	POWERCONTROL
Voltage/phase/frequency/current (V/~/Hz/A) 230 - 240 / 1~/ 50-60 / 10 230 - 240 / 1~/ 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Pump Pressure (bar/MPa)		Max 150 / max 15	Max 150 / max 15
Voltage/phase/frequency/current (V/~/H2/A) 50-60 / 10 50-60 / 10 Water flow Qmax/Qiec (I/h) 468 / 378 468 / 378	Rated power (kW)		2,0	2,0
	Voltage/phase/frequency/current (V/~/Hz/A)			
Cable length (m) 5 5	Water flow Qmax/Qiec (I/h)		468 / 378	468 / 378
	Cable length (m)		5	5



Technical specifications	CORE 150-10 POWERCONTROL PAD EU	CORE 150-10 POWERCONTROL P UK
Hose length (m)	10	10
Max. inlet temperature (°C)	40	40
Length x width x height (cm)	88,2 x 37,1 x 30	88,2 x 37,1 x 30
Weight (kg)	11,2	11,2

 $[\]bullet$ Standard equipment, ${}^{\bigcirc}$ Supplementary accessories, ${}^{\square}$ Mountable equipment

	Accessories Ref. no. Ref. no. Min. required CORE 150-10 POWERCON-TROL - EU TROL - UK						
Brush							
	Auto brush	6411131	0	0	0	0	
	CAR BRUSH HEAD	128500463	0	0	0	0	
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0	
	GARDEN BRUSH HEAD	128470457	0	0	0	0	
	RIM BRUSH HEAD	128470458	0	0	0	0	
-	ROTARY BRUSH	6410762	0	0	0	0	
	ROTARY BRUSH	126411395	0	0	0	0	
Accessory							
	CLEANING TOOL BLACK	6520844	0	•	•	•	
-	DRAIN AND TUBE 8M	128500461	0	0	0	•	



	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL - EU	CORE 150-10 POWERCON- TROL - UK	CORE 150-10 POWERCON- TROL DP EU
O	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0	0
	FOAMSPRAYER WITH BOTTLE	128500077	0	0	0	0
	G3 LANCE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
	NILFISK TOWEL	128501316	0	0	0	0
	NILFISK WASHING GLOVE	128501317	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
1	POWER FOAM BLASTER - BAYONET	128501703	0	0	0	0



The powerful high-pressure washer with powercontrol for allround use

Pressure washers

	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL - EU	CORE 150-10 POWERCON- TROL - UK	CORE 150-10 POWERCON- TROL DP EU
4	ROOF CLEANER	128470040	0	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0
Nozzle - High	Pressure Washer					
	C&C GENTLE NOZZLE (TORNADO)	128500076	0	0	0	0
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•
	POWER SPEED NOZZLE	128501153	0	•	•	•
4	Under Chassis Nozzle	6411135	0	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	0
Hose and Co	nnection					
0	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0
Accessory Ki						



Accessories		Ref. no.	Min. required	CORE 150-10 POWERCON- TROL - EU	CORE 150-10 POWERCON- TROL - UK	CORE 150-10 POWERCON- TROL DP EU
	MULTI BRUSH KIT	128470459	0	0	0	0
	NILFISK CAR WASH KIT TOWEL WASHING MIT	128501318	0	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0

ullet Standard equipment, ${}^\bigcirc$ Supplementary accessories, ${}^\square$ Mountable equipment

Accessories Ref. no.		CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU		
Brush					
Auto brush	6411131	0	0	0	0
CAR BRUSH HEAD	128500463	0	0	0	0
FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
GARDEN BRUSH HEAD	128470457	0	0	0	0
RIM BRUSH HEAD	128470458	0	0	0	0
ROTARY BRUSH	6410762	0	0	0	0
ROTARY BRUSH	126411395	0	0	0	•
Accessory					



	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL LUXURY CAR WASH	CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU
	CLEANING TOOL BLACK	6520844	0	•	•	•
-	DRAIN AND TUBE 8M	128500461	0	0	0	0
O	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0	0
	FOAMSPRAYER WITH BOTTLE	128500077	0	0	0	0
	G3 LANCE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
***	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	•	0	0
	NILFISK TOWEL	128501316	0	•	0	0



	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL LUXURY CAR WASH	CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU
	NILFISK WASHING GLOVE	128501317	0	•	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
1	POWER FOAM BLASTER - BAYONET	128501703	0	0	0	0
4	ROOF CLEANER	128470040	0	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0
Nozzle - High	Pressure Washer					
	C&C GENTLE NOZZLE (TORNADO)	128500076	0	0	0	0
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•
	POWER SPEED NOZZLE	128501153	0	•	•	•
4	Under Chassis Nozzle	6411135	0	•	0	0



Accessories		Ref. no.	Min. required	CORE 150-10 POWERCON- TROL LUXURY CAR WASH	CORE 150-10 POWERCON- TROL P EU	CORE 150-10 POWERCON- TROL PA EU
	Wide Angled Auto & Cycle Nozzle	6411136	0	•	0	0
Hose and Co	nnection					
0	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
	NILFISK CAR WASH KIT TOWEL WASHING MIT	128501318	0	0	0	0
0000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL PAD EU	POWERCON-
Brush					
	Auto brush	6411131	0	0	0
	CAR BRUSH HEAD	128500463	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0



The powerful high-pressure washer with powercontrol for allround use

Pressure washers

	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL PAD EU	CORE 150-10 POWERCON- TROL P UK
	GARDEN BRUSH HEAD	128470457	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0
-	ROTARY BRUSH	6410762	0	0	0
	ROTARY BRUSH	126411395	0	•	0
Accessory					
Na.	CLEANING TOOL BLACK	6520844	0	•	•
	DRAIN AND TUBE 8M	128500461	0	•	0
	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0
	FOAMSPRAYER WITH BOTTLE	128500077	0	0	0
	G3 LANCE	126481134	0	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0



	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL PAD EU	CORE 150-10 POWERCON- TROL P UK
	MULTI ANGLE ADAPTER	6411138	0	0	0
	MULTI BRUSH	128470456	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0
	NILFISK TOWEL	128501316	0	0	0
	NILFISK WASHING GLOVE	128501317	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0
1	POWER FOAM BLASTER - BAYONET	128501703	0	0	0
4_	ROOF CLEANER	128470040	0	0	O
	Under Chassis Spray Lance	6410763	0	0	0
	VSB SET - GREEN	6410891	0	0	0
-5	Water Emptying Kit	126411387	0	0	0
Nozzle - High	Pressure Washer				



	Accessories	Ref. no.	Min. required	CORE 150-10 POWERCON- TROL PAD EU	CORE 150-10 POWERCON- TROL P UK
	C&C GENTLE NOZZLE (TORNADO)	128500076	0	0	0
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•
	POWER SPEED NOZZLE	128501153	0	•	•
4	Under Chassis Nozzle	6411135	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0
Hose and Cor	nnection				
9	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0
Accessory Kit					
	MULTI BRUSH KIT	128470459	0	0	0
	NILFISK CAR WASH KIT TOWEL WASHING MIT	128501318	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0

