Lightweight and portable, the Nilfisk GM 80P is the symbol of Nilfisk quality and provides durability, high performance and efficient cleaning - required by dust control professionals.

The sturdy aluminium container means that the vacuum cleaner is almost indestructable and therefore especially suitable for rough and heavy duty cleaning.

Mounted on a strong steel trolley with large rubber wheels, the machine is easy to manoeuvre. Ideal for e.g. production lines, chemi/pharma industries, hospitals and offices.

GM 80P is a versatile machine with high suction power and can be used for both industry cleaning and integrated into production facilities. The unique multi-stage filtration system allows for adaption to special applications where high filtration level and low emission is required. Choose between two types of dust bags (fleece or paper), four different washable sack filters (Polyester, Cotton, PTFE or Nomex) and special exhaust filters with HEPA or ULPA classication. GM 80P can handle every heavy duty cleaning task and has become a vacuum cleaner icon in variety of industries.



Picture shown may not represent model quoted

- Low noise operation
- Washable filter in Polyester or Cotton material
- PTFE (non-stick) and Nomex (heat resistant) filter optional
- 9 liters container capacity
- · Lightweight aluminium construction built for years of heavy duty cleaning
- Unique dual filter solution avalaible with HEPA or ULPA exhaust filters
- Bagless operation possible
- Dust class L-certification

Standard equipment

	Included accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Hose and Cor	nnection					
	EXTENSION TUBE D32	11112401	2	•	•	•
0	HOSE 38/32MM 2M PLAST BENT END	12041500	0		•	
Ô	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•		•
¢,	HOSE CPL	22301500	0			



	Included accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
	TELESCOPIC TUBE 1130MM D32	81906500	0			
Hose Vacuum	Cleaner					
	HOSE 38/32MM 2M RUBBER	11717000	1			
Nozzle		·				
	ROUND BRUSH Ø32	147 1385 500	0	•	•	•
Round Brush	Nozzle					
	ROUND BRUSH BLACK KING	22352000	0			
Combination I	Nozzle				1	
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0		•	•
Nozzle - Vacu	um					
	BRUSH ROUND GREY 100 NATU	11276901	0		•	•
	CREVICE NOZZLE BLACK	22302100	0			
-	CREVICE NOZZLE KIT	81140900	0		•	•
	NOZZLE COMBI DELUXE	22359800	0			
	UPHOLSTERY NOZZLE D32 GREY	32043700	0		•	
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	1	•		



	Included accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Geo	FILTER COTTON GS/GM 80	61543000	0	•		•
T	MOTOR PROTECTION FILTER	11730410	0	•		
Tube						
	TUBE BENT END D32 STEEL KIT	107402630	0	•		•
Dust Bag and	Filter					
00	DUST BAG 6.5 LITRES 5 PCS IN POLYBAG	81620000	0			
	FILTER GS/GM 80/81 POLY KIT	62348600	1		•	
•	MICRO-STATIC FILTER 2 PCS	11641000	0		•	•

Standard equipment

Included accessories		Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
Hose and Cor	nnection					
	EXTENSION TUBE D32	11112401	2	•	•	
	HOSE 38/32MM 2M PLAST BENT END	12041500	0			•
O	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	•	
Ø,	HOSE CPL	22301500	0			



	Included accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
	TELESCOPIC TUBE 1130MM D32	81906500	0			•
Hose Vacuum	n Cleaner		1			
R	HOSE 38/32MM 2M RUBBER	11717000	1			
Nozzle						
4	ROUND BRUSH Ø32	147 1385 500	0	•	•	•
Round Brush	Nozzle		1			
	ROUND BRUSH BLACK KING	22352000	0			
Combination	Nozzle					
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	•	•	•
Nozzle - Vac	Jum				-	
	BRUSH ROUND GREY 100 NATU	11276901	0	•	•	•
	CREVICE NOZZLE BLACK	22302100	0			
-	CREVICE NOZZLE KIT	81140900	0	٠	•	•
	NOZZLE COMBI DELUXE	22359800	0			
	UPHOLSTERY NOZZLE D32 GREY	32043700	0			•
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	1			



	Included accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
Reco	FILTER COTTON GS/GM 80	61543000	0	•	•	
W	MOTOR PROTECTION FILTER	11730410	0	•		•
Tube					1	
	TUBE BENT END D32 STEEL KIT	107402630	0	•	•	
Dust Bag and	Filter				-	
00	DUST BAG 6.5 LITRES 5 PCS IN POLYBAG	81620000	0			
Co.	FILTER GS/GM 80/81 POLY KIT	62348600	1			•
•	MICRO-STATIC FILTER 2 PCS	11641000	0	•	•	•
Model			1 80P 220-24 50-60HZ CN	220-240	0P LC / 50/60HZ 22 U	GM 80P LC 0-240V 50/60HZ EU
Ref. no.			17119033	1074	18492	107418493
PRODUCT FE	ATURES					
Dust bag, 3 po	35.		•		•	•
Detachable co	ord		•		•	•
With fixed cable						
Robust steel c	hassis		٠		•	•

- Low working sound level Fleece filter bag
- Downstream HEPA filter
 Downstream ULPA filtration
 Washable filter
 L-class hazardous dust approval

•



•

•

Model	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/NZ	GM 80P 100V 50/60HZ JP
Ref. no.	107418494	107418495	107418496
PRODUCT FEATURES			
Dust bag, 3 pcs.	•	•	•
Detachable cord	•	•	•
With fixed cable			
Robust steel chassis	•	•	•
Low working sound level	•	•	•
Fleece filter bag	•	•	•
Downstream HEPA filter			
Downstream ULPA filtration			
Washable filter	•	•	•
L-class hazardous dust approval	•	•	

Energy efficiency classnananaAnnual energy consumption (kWh/year)nananaDust pick up on carpetnananaDust pick up on hard floornananaDust re-emission classnananaSound power level dB(A) IEC/EN 60335-2-69nananaCable length (m)/ plug type10/CHINA10/EU10/EUGroundedNoNoNoApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection class (Electrical)IP20IP20IP20Rated power (W)1200120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Lus gapacity (I)1010.2112.0212.02	Technical specifications	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Dust pick up on carpetnananaDust pick up on hard floornananaDust pick up on hard floornananaDust re-emission classnananaSound power level dB(A) IEC/EN 60335-2-69nananaCable length (m/) plug type10/CHINA10/EU10/EUGroundedNoNoNoApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection class (Electrical)IIIIIIIP protection class (V)270270270Suction power end of tube (VV)270270270Airflow without hose (/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)62.56.256.256.25	Energy efficiency class	na	na	na
Dust pick up on hard floornanaDust re-emission classnananaSound power level dB(A) IEC/EN 60335-2-69nananaCable length (m)/ plug type10/CHINA10/EU10/EUGroundedNoNoNoApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP2012001200Rated power (W)120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6.256.256.25	Annual energy consumption (kWh/year)	na	na	na
Dust re-emission classnanaSound power level dB(A) IEC/EN 60335-2-69nananaCable length (m)/ plug type10/CHINA10/EU10/EUGroundedNoNoNoApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP20IP201200Rated power (W)120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6.256.256.25	Dust pick up on carpet	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69nanaCable length (m)/ plug type10/CHINA10/EUGroundedNoNoApprovalCCCCEVoltage (V)220-240220-240Prequency (Hz)50/6050/60Protection class (Electrical)IIIIIP protection classIP20IP20Rated power (W)12001200Suction power end of tube (W)3838Vacuum max (kPa)2727Sound pressure level (dB(A))6666Container capacity (I)12.2512.25Dust bag capacity (I)6.256.256.25	Dust pick up on hard floor	na	na	na
Cable length (m)/ plug type10/CH INA10/EU10/EUGroundedNoNoNoApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP20IP20IP20Rated power (W)120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25	Dust re-emission class	na	na	na
Grounded No No No Approval CCC CE CE Voltage (V) 220-240 220-240 220-240 Frequency (Hz) 50/60 50/60 50/60 Protection class (Electrical) II II II IP protection class IP20 IP20 IP20 Rated power (W) 1200 1200 1200 Suction power end of tube (W) 270 270 270 Airflow without hose (I/sec.) 38 38 38 Vacuum max (kPa) 27 27 27 Sound pressure level (dB(A)) 66 66 66 Container capacity (I) 12.25 12.25 12.25	Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
ApprovalCCCCECEVoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP20IP20IP20Rated power (W)1200120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6.256.256.256.25	Cable length (m)/ plug type	10/CHINA	10/EU	10/EU
Yoltage (V)220-240220-240220-240Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP20IP20IP20Rated power (W)1200120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6256.256.256.25	Grounded	No	No	No
Frequency (Hz)50/6050/6050/60Protection class (Electrical)IIIIIIIP protection classIP20IP20IP20Rated power (W)120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6.256.256.25	Approval	CCC	CE	CE
Protection class (Electrical)IIIIP protection classIP20IP20Rated power (W)12001200Suction power end of tube (W)270270Airflow without hose (I/sec.)3838Vacuum max (kPa)2727Sound pressure level (dB(A))6666Container capacity (I)12.2512.25Dust bag capacity (I)6.256.25	Voltage (V)	220-240	220-240	220-240
IP protection classIP20IP20IP20Rated power (W)120012001200Suction power end of tube (W)270270270Airflow without hose (I/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (I)12.2512.2512.25Dust bag capacity (I)6.256.256.25	Frequency (Hz)	50/60	50/60	50/60
Rated power (W) 1200 1200 1200 Suction power end of tube (W) 270 270 270 Airflow without hose (I/sec.) 38 38 38 Vacuum max (kPa) 27 27 27 Sound pressure level (dB(A)) 66 66 66 Container capacity (I) 12.25 12.25 12.25 Dust bag capacity (I) 6.25 6.25 6.25	Protection class (Electrical)	П	П	II
Suction power end of tube (W) 270 270 270 Airflow without hose (I/sec.) 38 38 38 Vacuum max (kPa) 27 27 27 Sound pressure level (dB(A)) 66 66 66 Container capacity (I) 12.25 12.25 12.25 Dust bag capacity (I) 6.25 6.25 6.25	IP protection class	IP20	IP20	IP20
Airflow without hose (l/sec.)383838Vacuum max (kPa)272727Sound pressure level (dB(A))666666Container capacity (l)12.2512.2512.25Dust bag capacity (l)6.256.256.25	Rated power (W)	1200	1200	1200
Vacuum max (kPa) 27 27 27 Sound pressure level (dB(A)) 66 66 66 Container capacity (l) 12.25 12.25 12.25 Dust bag capacity (l) 6.25 6.25 6.25	Suction power end of tube (W)	270	270	270
Sound pressure level (dB(A)) 66 66 66 Container capacity (l) 12.25 12.25 12.25 Dust bag capacity (l) 6.25 6.25 6.25	Airflow without hose (I/sec.)	38	38	38
Container capacity (I) 12.25 12.25 12.25 Dust bag capacity (I) 6.25 6.25 6.25	Vacuum max (kPa)	27	27	27
Dust bag capacity (I) 6.25 6.25 6.25	Sound pressure level (dB(A))	66	66	66
	Container capacity (I)	12.25	12.25	12.25
	Dust bag capacity (I)	6.25	6.25	6.25
Main filter type COTTEN POLYESTER COTTON	Main filter type	COTTEN	POLYESTER	COTTON



Technical specifications	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Main filter area (cm ²)	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	8	8	8
Technical specifications	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/NZ	GM 80P 100V 50/60HZ JP
Energy efficiency class	na	na	na
Annual energy consumption (kWh/year)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	10/UK	10/ AUS-NZ	9/JP
Grounded	No	No	Yes
Approval	CE	RCM	PSE
Voltage (V)	220-240	220-240	100
Frequency (Hz)	50/60	50/60	50/60
Protection class (Electrical)	II	Ш	I
IP protection class	IP20	IP20	IP20
Rated power (W)	1200	1200	850
Suction power end of tube (W)	270	270	200
Airflow without hose (I/sec.)	38	38	33
Vacuum max (kPa)	27	27	18
Sound pressure level (dB(A))	66	66	66
Container capacity (I)	12.25	12.25	12.25
Dust bag capacity (I)	6.25	6.25	6.25
Main filter type	COTTON	COTTON	COTTON
Main filter area (cm²)	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	8	8	8



ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Round Brush	Nozzle					
2	NOZZLE BRUSH 38MM 100	10989000	0	0	0	0
	ROUND BRUSH BLACK KING	22352000	0	0	0	0
Hose and Co	nnection					
	EXTENSION TUBE D32	11112401	2	•	•	•
0	HOSE 38/32MM 2M PLAST BENT END	12041500	0	0	•	0
Ô	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	0	•
Ś	HOSE CPL	22301500	0	0	0	0
	TELESCOPIC TUBE 1130MM D32	81906500	0	0	0	0
Nozzle						
- Se	BRUSH NOZZLE.32 400MM	11476301	0	0	0	0
- Sico	NOZZLE CARPET32/280	11276800	0	0	0	0
-	NOZZLE WITH RAILR FOR 32MM	82366900	0	0	0	0
~	NOZZLE. CARPET 32 400MM	11476200	0	0	0	0



	Accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
4	ROUND BRUSH Ø32	147 1385 500	0	•	•	•
Nozzle - Vacu	lum					
	BRUSH ROUND GREY 100 NATU	11276901	0	0	•	•
	CREVICE NOZZLE BLACK	22302100	0	0	0	0
	CREVICE NOZZLE KIT	81140900	0	0	•	•
1	HARD FLOOR NOZZLE BLACK	22351400	1	0	0	0
	NOZZLE COMBI DELUXE	22359800	0	0	0	0
6	ROUND BRUSH Ø/DIN32 BLUE BRISTLES KIT	107420405	0	0	0	0
	TURBO NOZZLE BLACK. Ø 32X300 MM	22360000	0	0	0	0
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	0	•	0
Vac Nozzle D	ry					
	BRUSH NOZZLE32 280MM	11426700	0	0	0	0
Accessory						
0	BLOWING COUPLING GS/GM80 BLACK	11562000	0	0	0	0



	Accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
Dust Bag and	Filter				,	
00	DUST BAG 6.5 LITRES 5 PCS IN POLYBAG	81620000	0	0	0	0
0	DUST BAG FLEECE GM 80P 5 PCS	107418525	0	0	0	0
	FILTER GS/GM 80/81 POLY KIT	62348600	1	0	•	0
~	MICRO-STATIC FILTER 2 PCS	11641000	0	o	•	٠
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	1	•	0	0
	EXHAUST FILTER KIT WO.	11731003	0	0	0	0
	EXHAUST WITH DIFFUSER	21573001	0	0	0	0
	FILTER 8214 GS/GM80/-81 IVT/C	61909800	0	0	0	0
Carlos	FILTER COTTON GS/GM 80	61543000	0	•	0	•
00	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	0	0	0
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	0	0	O
	FILTER NOMEX GS 80	82243100	0	0	0	O



	Accessories	Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	0	0	0
W	MOTOR PROTECTION FILTER	11730410	0	•	0	0
Hose Vacuum	Cleaner		1			
R	HOSE 38/32MM 2M RUBBER	11717000	1	0	0	0
	HOSE CPL. GM 80 LE	140 8484 000	1			
0	PLASTIC HOSE D32	62139100	0	0	0	0
Flexible Nozz	e (IVT)					
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	0	0	0
~	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	0	0	0
Crevice Nozz	e					
	CREVICE NOZZLE	010 3098 500	0	0	0	O
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	0	0	0
	CREVICE NOZZLE FLAT D32X360 MM	81141200	0	0	0	0
Tube						
	TUBE BENT END D32 STEEL KIT	107402630	0	•	0	•
Combination I	Nozzle					



Accessories		Ref. no.	Min. required	GM 80P 220-240V 50-60HZ CN	GM 80P LC 220-240V 50/60HZ EU	GM 80P LC 220-240V 50/60HZ EU
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	0	•	•

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP	
Round Brush	Round Brush Nozzle						
	NOZZLE BRUSH 38MM 100	10989000	0	0	O	0	
	ROUND BRUSH BLACK KING	22352000	0	0	0	0	
Hose and Co	nnection	1			1		
	EXTENSION TUBE D32	11112401	2	•	•	0	
0	HOSE 38/32MM 2M PLAST BENT END	12041500	0	0	0	•	
O	HOSE 38/32MM 2M STEEL BENT END	12097500	1	٠	•	0	
Ś	HOSE CPL	22301500	0	0	0	0	
	TELESCOPIC TUBE 1130MM D32	81906500	0	0	O	•	
Nozzle							
	BRUSH NOZZLE.32 400MM	11476301	0	0	0	0	
	NOZZLE CARPET32/280	11276800	0	0	0	0	



	Accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
fre the second s	NOZZLE WITH RAILR FOR 32MM	82366900	0	0	0	0
	NOZZLE. CARPET 32 400MM	11476200	0	0	0	0
	ROUND BRUSH Ø32	147 1385 500	0	•	•	•
Nozzle - Vacu	lum	1		1	1	
	BRUSH ROUND GREY 100 NATU	11276901	0	•	•	•
	CREVICE NOZZLE BLACK	22302100	0	0	0	0
	CREVICE NOZZLE KIT	81140900	0	•	•	•
1	HARD FLOOR NOZZLE BLACK	22351400	1	0	0	0
	NOZZLE COMBI DELUXE	22359800	0	0	0	0
6	ROUND BRUSH Ø/DIN32 BLUE BRISTLES KIT	107420405	0	0	O	0
	TURBO NOZZLE BLACK. Ø 32X300 MM	22360000	0	0	O	0
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	0	o	•
Vac Nozzle D	ry					



	Accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
	BRUSH NOZZLE32 280MM	11426700	0	0	0	0
Accessory						
0	BLOWING COUPLING GS/GM80 BLACK	11562000	0	0	0	0
Dust Bag and	Filter					
00	DUST BAG 6.5 LITRES 5 PCS IN POLYBAG	81620000	0	0	0	0
0	DUST BAG FLEECE GM 80P 5 PCS	107418525	0	0	0	0
Co.	FILTER GS/GM 80/81 POLY KIT	62348600	1	0	0	•
~	MICRO-STATIC FILTER 2 PCS	11641000	0	•	•	•
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	1	0	0	0
	EXHAUST FILTER KIT WO.	11731003	0	0	0	0
	EXHAUST WITH DIFFUSER	21573001	0	0	0	0
	FILTER 8214 GS/GM80/-81 IVT/C	61909800	0	0	0	0
Citos	FILTER COTTON GS/GM 80	61543000	0	•	•	0



	Accessories	Ref. no.	Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
00	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	0	0	0
00	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	0	0	0
	FILTER NOMEX GS 80	82243100	0	0	0	0
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	0	0	0
W	MOTOR PROTECTION FILTER	11730410	0	•	O	•
Hose Vacuur	n Cleaner					
R	HOSE 38/32MM 2M RUBBER	11717000	1	0	0	0
	HOSE CPL. GM 80 LE	140 8484 000	1			
0	PLASTIC HOSE D32	62139100	0	0	0	0
Flexible Nozz	de (IVT)			1	1	
~	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	0	0	0
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	0	0	0
Crevice Nozz	le					
	CREVICE NOZZLE	010 3098 500	0	O	o	O



	Accessories		Min. required	GM 80P LC 220-240V 50/60HZ GB	GM 80P LC 220-240V 50/60HZ AU/ NZ	GM 80P 100V 50/60HZ JP
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	0	0	0
	CREVICE NOZZLE FLAT D32X360 MM	81141200	0	0	0	0
Tube		1				
	TUBE BENT END D32 STEEL KIT	107402630	0	•	•	0
Combination	Combination Nozzle					
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	•	•	•

