


MC 3C

# Compact cold water high pressure washer with external FoamSprayer detergent system





# Just shoot the dirt away

## Faster and more effective

Now you can get really serious when it comes to handling dirt. The MC 3C has the benefits of being small, compact and ergonomic. At the same time, it takes cold water high pressure cleaning to a new level. Faster and more effective - adding detergent with a new separate **FoamSprayer** when light grease, fats and stubborn dirt need to be dissolved.

## The ideal choice

MC 3C is designed for light, general cleaning tasks and is the ideal choice for tradesmen, small building companies, small garages and farms.



Unique patented **Spray Gun Holder** protects the gun from falling on the ground and being dragged behind the machine – preventing damage.

## High performance and reliability

- Powered by a 2800 rpm high-quality motor pump
- Brass pump head and three stainless steel pistons
- Working pressure up to 170 bar
- Water flow up to 820 l/h
- Pressure activated unloader system

## Detergent foam sticks to its task

- Unique FoamSprayer system with a separate bottle for efficient and fast cleaning
- Detergent foam sticks to the dirt working more effectively
- Up to 20% Increase in nozzle pressure and cleaning effect thanks to external foam sprayer system

## Easy and safe handling

- Innovative holder protects Spray Gun from damage during storage and transport
- Turnable cable hook for easier removal and wind-up of power cable
- Robust design with larger 250 mm wheels optimises transport over rough surfaces and steps

## Time-saving and easy service and maintenance

- Pump oil tank with oil level sight and fill/empty function
- Easy opening and removing of cabinet for access to the pump



The turnable cable hook makes winding and unwinding of the electrical cable child's play.


## Easy to Use Detergent System - Improved cleaning performance:

The detergent foam is easily sprayed on the critical places and will stick to the dirt while dissolving it. This gives a working pressure, increased by up to 20%. The absence of internal injector for detergent spraying reduces energy loss and guarantees an increase in nozzle pressure and cleaning power.

Some machines in the MC 3C range include this **FoamSprayer** technology, which allows a simple and efficient application of detergent. If not included it can be bought as an optional accessory.



Pump oil tank with oil level sight and fill/empty function.



Cabinet can be removed quickly for direct access to the motor pump.

# New and innovative range offering reduced running costs, greater cleaning efficiency and easier overall handling

- Brass pump head
- Pressure activated unloader system
- Optimal storage and easy of use of gun, hose and cable
- Optimal maintenance with easy service functions
- External oil level sight
- Easy to open cabinet with direct access to motor pump
- Large, wide wheels and good ground clearance
- Aluminium lifting bar



## TECHNICAL SPECIFICATIONS

| Description                               | MC 3C-140/570       | MC 3C-150/570 XT    |
|---|---------------------|---------------------|
| Item no.                                  | 107146373           | 107146371           |
| Pump pressure (bar/MPa)                   | 140/14              | 150/15              |
| Cleaning impact (kg/force)                | 2.5                 | 2.6                 |
| Water flow Qmax/Qieq (l/h)                | 570/520             | 570/520             |
| Max. inlet temperature (°C)               | 60                  | 60                  |
| Pump (RPM)                                | 2800                | 2800                |
| Dimensions L x W x H (mm)                 | 382 x 382 x 1017    | 382 x 382 x 1017    |
| Weight (kg)                               | 36                  | 38                  |
| Power consumption (kW)                    | 3                   | 3                   |
| Voltage/phase/frequency/current (V~/Hz/A) | 230/1/50/12.6       | 230/1/50/13         |
| El cable (m)                              | 5                   | 5                   |
| Suction height dry (m)                    | 0.5                 | 0.5                 |
| Nozzle size                               |                     | .0340               |
| <b>Features:</b>                          |                     |                     |
| Pistons / number of pistons               | Stainless steel / 3 | Stainless steel / 3 |
| Automatic start/stop                      | •                   | •                   |
| Gun holder                                | •                   | •                   |
| Cable hook turnable                       | •                   | •                   |
| FoamSprayer attachment                    |                     | •                   |
| Detergent bottle 2.5 L                    |                     | •                   |
| Hose reel                                 |                     | •                   |
| <b>Standard equipment:</b>                |                     |                     |
| HP hose (DN6)                             | 301002275 (10 m)    | 107142542 (15 m)    |
| Ergo 2000 incl. swivel                    | 106403122           | 106403122           |
| Ergo coupling                             | 101119496           | 101119496           |
| Water inlet coupling, Gardena             | 32541               | 32541               |
| Universal Plus lance                      | 106403036           |                     |
| 4-in-1 lance                              |                     | 106408250           |
| Tornado Plus nozzle                       |                     | 101119735           |

### Nilfisk Ltd.

Nilfisk House · Bowerbank Way · Gilwilly Industrial Estate · Penrith · Cumbria · CA11 9BQ  
 Tel.: 01768 868995 (UK) · 01 2943838 (IE)  
 Email: mail.uk@nilfisk.com (UK) · info.ie@nilfisk.com (IE)  
 www.nilfisk.co.uk · www.nilfisk.ie

