

Performance, life-time and ergonomics




The MH 4M series takes mid-range hot water high pressure washers to a new level, meeting the latest productivity demands in the market. The MH 4M is equipped with our industrial NA5 pump with 3 ceramic pistons and a high efficiency 4 pole motor. And the flow activated control system improves user comfort and handling as well as overall machine reliability. The MH 4M is suited for all hot water slightly heavier cleaning applications up to 4-6 hours use per day and due to the improved fuel saving EcoPower boiler system it offers very high efficiency and quick cleaning. Service and maintenance can be carried out quickly, as all vital parts are easy to inspect and reach. Also, the diagnostics function of the 4M will give maintenance warnings to minimise any downtime. The MH 4M concept ensures the most optimal transport concept across a wide variety of surface types with the 4 large wheels and great balance. Optimal accessory storage facilities with double lance holders, turnable hook for easy removal or winding of electrical cable, innovative spray gun holder and easy storage of detergent tanks. Together with the quick service access to all vital parts, this series will provide remarkable cleaning results, saved time and reduced costs.



Picture shown may not represent model quoted

- High efficiency 4 pole motors
- EcoPower boiler with EcoMode function
- Brass pump head 3 ceramic pistons
- Pressure activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Flow activated unloader system
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function

• Standard equipment

Included accessories	Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
<b>High Pressure Male Coupling</b>					
 LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0			
<b>High Pressure Female Coupling</b>					
 HOSE NOZZLE 20R3/4	61369	0	•	•	•
 QUICK COUPLING 3/4 W/GASKET	1602945	0			
<b>Hose and Connection</b>					












## Performance, life-time and ergonomics

	Included accessories	Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	NILFISK BA VALVE COMP. GARDENA	106411177	0			
<b>High Pressure Hose, DN8</b>						
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0			•
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0	•		
	HP-HOSE DN8X15M QC 3/8 NILFISK HW	101406102	0		•	•
<b>Hose Reel</b>						
	HOSE REEL NILFISK ACCESSORY	106403184	0		•	•
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
<b>Tornado Lance</b>						
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0			•
<b>Universal Lance</b>						
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	•	•	
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0435 INDICATION RING BLUE	101119739	0			
	TORNADO NOZZLE 0475	301150005	0	•	•	•





Performance, life-time and ergonomics

● Standard equipment

Included accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
<b>High Pressure Male Coupling</b>					
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0		
<b>High Pressure Female Coupling</b>					
	HOSE NOZZLE 20R3/4	61369	0	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	0		
<b>Hose and Connection</b>					
	NILFISK BA VALVE COMP. GARDENA	106411177	0	•	•
<b>High Pressure Hose, DN8</b>					
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0		
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	•	•
	HP-HOSE DN8X15M QC 3/8 NILFISK HW	101406102	0		
<b>Hose Reel</b>					
	HOSE REEL NILFISK ACCESSORY	106403184	0		
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•
<b>Tornado Lance</b>					



Performance, life-time and ergonomics

Included accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0		•
<b>Universal Lance</b>					
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	•	
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0435 INDICATION RING BLUE	101119739	0	•	
	TORNADO NOZZLE 0475	301150005	0		•

Model	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
Ref. no.	107146910	107146911	107146912

PRODUCT FEATURES

Detergent tank	•	•	•
Full ceramic pistons	•	•	•
Single-phase	•	•	
Three phase			•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel		•	•
Wdk dual detergent injector	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Parking brake	•	•	•
Brass cylinder head	•	•	•
Fuel tank	•	•	•
Delayed automatic start stop	•	•	•
2 x detergent injector	•	•	•
High pressure detergent system	•	•	•



Performance, life-time and ergonomics

Model	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
Ref. no.	107146910	107146911	107146912

PRODUCT FEATURES

Water flow regulation	•	•	•
Water break tank	•	•	•
Flame sensor	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Motor on-off lamp	•	•	•
Transportable by forklift truck	•	•	•
Detergent tank 10 ltr.	•	•	•
Fuel tank 15 ltr.	•	•	•
Fuel sight from outside	•	•	•
ECO mode feature	•	•	•
2 lance holder	•	•	•
Large wheel - 4 pcs.	•	•	•
Anti Stone	•	•	•
Storage box	•	•	•
Water inlet filter 50µ	•	•	•

Model	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
Ref. no.	107146915	107146920

PRODUCT FEATURES

Detergent tank	•	•
Full ceramic pistons	•	•
Single-phase	•	
Three phase		•
SilentPower - 1450 rpm motor	•	•
QuickService - innovative concept	•	•
Ergo accessory system	•	•
Hose reel		
Wdk dual detergent injector	•	•
Pump oil warning system	•	•
Service indicator	•	•
Parking brake	•	•
Brass cylinder head	•	•
Fuel tank	•	•



## Performance, life-time and ergonomics

Model	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
Ref. no.	107146915	107146920

## PRODUCT FEATURES

Delayed automatic start stop	•	•
2 x detergent injector	•	•
High pressure detergent system	•	•
Water flow regulation	•	•
Water break tank	•	•
Flame sensor	•	•
Spray Gun Holder	•	•
Cable hook, turnable	•	•
Motor on-off lamp	•	•
Transportable by forklift truck	•	•
Detergent tank 10 ltr.	•	•
Fuel tank 15 ltr.	•	•
Fuel sight from outside	•	•
ECO mode feature	•	•
2 lance holder	•	•
Large wheel - 4 pcs.	•	•
Anti Stone	•	•
Storage box	•	•
Water inlet filter 50µ	•	•

Technical specifications	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
Pump Pressure (bar/MPa)	100/10	100/10	210/21
Cleaning impact (kg/force)	2.5	2.5	5.5
Pump (RPM)	1450	1450	1450
Power consumption (kW)	2.9	2.9	8.0
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/13	230/1/50/13	400/3/50/13,5
Water flow Qmax/Qiec (l/h)	680/630	680/630	1000/940
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption at ΔT=45°C (kg/h)	2.8	2.8	4.1
Fuel tank (l)	15	15	15
Detergent tank (l)	A: 10 + B:	A: 10 + B:	A: 10 + B:
Nozzle size	.0475	.0475	.0475
Max. inlet temperature (°C)	40	40	40






Performance, life-time and ergonomics

Technical specifications	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
Ceramic pistons	3	3	3
Length x width x height (mm)	1010x700x1016	1010x700x1016	1010x700x1016
Weight (kg)	138	141	149
Recommended avg. hours of use per day	5	5	5












Technical specifications	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
Pump Pressure (bar/MPa)	130/13	200/20
Cleaning impact (kg/force)	3	5.1
Pump (RPM)	1450	1450
Power consumption (kW)	3.6	7.2
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/16	400/3/50/12
Water flow Qmax/Qiec (l/h)	720/660	960/890
Water temperature (water/steam) (°C)	90/150	90/150
El cable (m)	5	5
Fuel consumption at ΔT=45°C (kg/h)	2.9	3.9
Fuel tank (l)	15	15
Detergent tank (l)	A: 10 + B:	A: 10 + B:
Nozzle size	.0435	.0475
Max. inlet temperature (°C)	40	40
Ceramic pistons	3	3
Length x width x height (mm)	1010x700x1016	1010x700x1016
Weight (kg)	141	142
Recommended avg. hours of use per day	5	5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
<b>Hose and Connection</b>						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○	○
<b>High Pressure Male Coupling</b>						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○	○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
















Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○	○
	HOSE NOZZLE 20R3/4	61369	0	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	0	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○	○
<b>Special Nozzle</b>						
	NOZZLE PROTECTION CAP PA	18430	0	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
	PIPE CLEANING HOSE 10M DN4	301002490	0	○	○	○














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	PIPE CLEANING HOSE 20M DN4	301002491	0	○	○	○
	PIPE CLEANING HOSE 30M DN4	301002492	0	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○	○
	TUBE AND DRAIN CLEANER 05 20M	6401266	0	○	○	○
<b>Detergent</b>						
	ALTO ACTIVE WAX 10 L	81177	0	○	○	○
	ALTO ACTIVE WAX 25 L	81222	0	○	○	○
<b>Filter Pressure Washer</b>						
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○	○
	FILTER FOR WATER BREAK TANK ACCESSORY	106403194	0	○	○	○
<b>High Pressure Hose, DN10</b>						
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○	○	○














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○	○
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○	○
<b>High Pressure Hose, DN8</b>						
	10 M 2 WIRE HOSE 5/16 DN8	1405569	0	○	○	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	○	●
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	○	○	○
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0	●	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○	○
	HP-HOSE DN8X15M QC 3/8 NILFISK HW	101406102	0	○	●	●
<b>Ergo System Coupling and Adapter</b>						














Performance, life-time and ergonomics












Accessories	Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
 COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○	○
 ERGO COUPLING KIT	101119496	0	○	○	○
 HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○	○
 NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	0	○	○	○
 NIPPLE F/QUICK COUPLING 3/8 SS	1603101	0	○	○	○
 NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○	○
<b>Special Lance</b>					
 CURVED LANCE L1090 MM	6402016	0	○	○	○
 LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○	○
 UNDER CARRIAGE WASHER 40065	6400036	0	○	○	○
<b>Hose Reel</b>					
 CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○	○
 HOSE REEL NILFISK ACCESSORY	106403184	0	○	●	●














## Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○	○	○
<b>Injector and Foam Sprayer</b>						
	02 INJECTOR COMPLETE	6401246	0	○	○	
	03 INJECTOR COMPLETE	6401247	0	○	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	0	○	○	○
	FOAM INJECTOR W BYPASS	6401242	0			○
	FOAM INJECTOR W BYPASS S. S	6401243	0			○

## Performance, life-time and ergonomics












	Accessories	Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	FOAM INJECTOR STANDARD	6401244	0			○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○	○
	FOAMSPRAYER VARIO 1 LTR 055	106408235	0	○	○	○
	J1E1LE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0			○
<b>Other</b>						
	CHIMNEY ADAPTOR B2/B2.5 ACCESSORY	106403197	0	○	○	○
	LIFTING DEVICE FOR MH 3/4 ACCESSORY	106403199	0	○	○	○
	SIDE BAR COMPL.	106402110	0	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0			○
<b>Liquid Sprayer</b>						
	LIQUID SPRAYER 5S	7110005	0	○	○	○

Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	LIQUID SPRAYER 10SP	7110010	0	○	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0275 W. INDICATION RING DARK BROW	101117692	0	○	○	○
	NOZZLE 0300 W. INDICATION RING WARM ORAN	101117695	0	○	○	○
	NOZZLE 0435 INDICATION RING BLUE	101119739	0			
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○	○
	TORNADO NOZZLE 0475	301150005	0	●	●	●
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●
	REP. KIT SWIVEL JOINT	101119484	0	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○	○










Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
<b>FlexoPower Lance</b>						
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	○	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○	○
<b>TurboHammer Lance</b>						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0450	106402290	0			
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	0	○	○	○
<b>Tornado Lance</b>						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0	○	○	●
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	○	○	○
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○	○











## Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
<b>Universal Lance</b>						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	0	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	0	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	0	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	0	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	●	●	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	0	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	0	○	○	○
<b>PowerSpeed Vario Lance</b>						
	POWERSPEED VARIO PLUS 1090 BEND 0450	106403092	0			
<b>High Pressure Hose, DN6</b>						
	10 M WIRE HOSE DN6	301002275	0	○	○	○
<b>Abrasive Blasting</b>						
	SIMPLE SAND BLASTING UNIT COMPLETE VSB	301112493	0	○	○	○
<b>4-in-1 Lance</b>						

Performance, life-time and ergonomics












Accessories		Ref. no.	Min. required	MH 4M-100/680 PA UK	MH 4M-100/680 PAX UK	MH 4M-210/1000 PAX EU
	4-IN-1 LANCE INCL 0435 ALUMINUM HEAD	106408254	0			
	LANCE FOR 4-IN-1 880 BEND	106408240	0	○	○	○
<b>4-in-1 Nozzle</b>						
	NOZZLE 4-IN-1 ALU + INDICATION RING 0435	101118132	0			
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300 P+H	106403187	0	○	○	
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
<b>External Control Unit</b>						
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
<b>Hose and Connection</b>					
	NILFISK BA VALVE COMP. GARDENA	106411177	0	●	●
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○














Performance, life-time and ergonomics












Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○
<b>High Pressure Male Coupling</b>					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○
<b>High Pressure Female Coupling</b>					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○



## Performance, life-time and ergonomics












Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○
	HOSE NOZZLE 20R3/4	61369	0	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○
<b>Brush Washing</b>					
	BRUSH INSERT	10356	0	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○
<b>Special Nozzle</b>					
	NOZZLE PROTECTION CAP PA	18430	0	○	○
<b>Drain and Pipe Cleaning</b>					
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○
	PIPE CLEANING HOSE 10M DN4	301002490	0	○	○

Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	PIPE CLEANING HOSE 20M DN4	301002491	0	<input type="radio"/>	<input type="radio"/>
	PIPE CLEANING HOSE 30M DN4	301002492	0	<input type="radio"/>	<input type="radio"/>
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	<input type="radio"/>	<input type="radio"/>
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	<input type="radio"/>	<input type="radio"/>
	TUBE AND DRAIN CLEANER 05 20M	6401266	0	<input type="radio"/>	<input type="radio"/>
<b>Detergent</b>					
	ALTO ACTIVE WAX 10 L	81177	0	<input type="radio"/>	<input type="radio"/>
	ALTO ACTIVE WAX 25 L	81222	0	<input type="radio"/>	<input type="radio"/>
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	<input type="radio"/>	<input type="radio"/>
	FILTER FOR WATER BREAK TANK ACCESSORY	106403194	0	<input type="radio"/>	<input type="radio"/>
<b>High Pressure Hose, DN10</b>					
	HP HOSE DN10 1000 AGR-AGR	1402916	0	<input type="radio"/>	<input type="radio"/>
	HP HOSE DN10 2052 AGR-AGR	1402924	0	<input type="radio"/>	<input type="radio"/>














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○
<b>High Pressure Hose, DN8</b>					
	10 M 2 WIRE HOSE 5/16 DN8	1405569	0	○	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	○	○
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	●	●
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○
	HP-HOSE DN8X15M QC 3/8 NILFISK HW	101406102	0	○	○
<b>Ergo System Coupling and Adapter</b>					














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○
	ERGO COUPLING KIT	101119496	0	○	○
	HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	0	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	0	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
<b>Special Lance</b>					
	CURVED LANCE L1090 MM	6402016	0	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○
<b>Hose Reel</b>					
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○
	HOSE REEL NILFISK ACCESSORY	106403184	0	○	○














Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○	○
<b>Injector and Foam Sprayer</b>					
	02 INJECTOR COMPLETE	6401246	0	○	
	03 INJECTOR COMPLETE	6401247	0	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	0	○	○
	FOAM INJECTOR W BYPASS	6401242	0		○
	FOAM INJECTOR W BYPASS S. S	6401243	0		○
















## Performance, life-time and ergonomics











Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	FOAM INJECTOR STANDARD	6401244	0		○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○
	FOAMSPRAYER VARIO 1 LTR 055	106408235	0	○	○
	J1E1LE FOR FOAM SPRAYER 2 L	106408164	0	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0		○
<b>Other</b>					
	CHIMNEY ADAPTOR B2/B2.5 ACCESSORY	106403197	0	○	○
	LIFTING DEVICE FOR MH 3/4 ACCESSORY	106403199	0	○	○
	SIDE BAR COMPL.	106402110	0	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0		○
<b>Liquid Sprayer</b>					
	LIQUID SPRAYER 5S	7110005	0	○	○

Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	LIQUID SPRAYER 10SP	7110010	0	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0275 W. INDICATION RING DARK BROW	101117692	0	○	○
	NOZZLE 0300 W. INDICATION RING WARM ORAN	101117695	0	○	○
	NOZZLE 0435 INDICATION RING BLUE	101119739	0	●	
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○
	TORNADO NOZZLE 0475	301150005	0		●
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●
	REP. KIT SWIVEL JOINT	101119484	0	○	○
<b>Short Lance</b>					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○













## Performance, life-time and ergonomics







Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
<b>FlexoPower Lance</b>					
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○
<b>TurboHammer Lance</b>					
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0450	106402290	0	○	
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	0		○
<b>Tornado Lance</b>					
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0	○	●
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	○	○
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○



## Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
<b>Universal Lance</b>					
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	0	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	0	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	0	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	0	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	●	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	0	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	0	○	○
<b>PowerSpeed Vario Lance</b>					
	POWERSPEED VARIO PLUS 1090 BEND 0450	106403092	0	○	○
<b>High Pressure Hose, DN6</b>					
	10 M WIRE HOSE DN6	301002275	0	○	○
<b>Abrasive Blasting</b>					
	SIMPLE SAND BLASTING UNIT COMPLETE VSB	301112493	0	○	○
<b>4-in-1 Lance</b>					

Performance, life-time and ergonomics

Accessories		Ref. no.	Min. required	MH 4M-130/720 FA EU 230/1/50	MH 4M-200/960 FA EU
	4-IN-1 LANCE INCL 0435 ALUMINUM HEAD	106408254	0	○	
	LANCE FOR 4-IN-1 880 BEND	106408240	0	○	○
<b>4-in-1 Nozzle</b>					
	NOZZLE 4-IN-1 ALU + INDICATION RING 0435	101118132	0	○	
<b>Surface Cleaning Rotary</b>					
	HYDROSCRUB P300 P+H	106403187	0	○	
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○
<b>External Control Unit</b>					
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○

