

## High performance, long life & optimal manoeuvrability

The MH 5M series offers high cleaning efficiency and low running costs via optimal cleaning and heating performance. It is the ideal hot water unit for segments such as automotive, agriculture and industry.





The versatile MH 5M combines low running costs, high performance, ease of use, best in class mobility and great cleaning efficiency. The innovative design makes it easy to move over all types of surfaces. The flow-activated control system contributes to even more comfortable use of the machine and assures durability and reliability.

Service and maintenance can be carried out quickly, as all vital parts are easy to inspect and reach. Also, the diagnostics function showed in the panel will give maintenance warnings to minimise any downtime. The EcoPower boiler system offers > 92% efficiency for significantly reduced fuel consumption and lower running costs.



- EcoPower boiler with EcoMode function
- EcoPower boiler >92% efficiency giving reduced fuel costs
- Brass pump head 3 ceramic pistons
- Flow or Pressure activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can easily be pushed/pulled across uneven surfaces
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function







• Standard equipment

Included accessories	Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
<b>Ergo System Coupling and Adapter</b>					
 ERGO COUPLING KIT	101119496	0	•	•	•
<b>High Pressure Female Coupling</b>					
 HOSE NOZZLE 20R3/4	61369	0	•	•	•
<b>High Pressure Hose, DN8</b>					
 HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	•		
 HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0		•	•
<b>Hose Reel</b>					

Picture shown may not represent model quoted



High performance, long life & optimal manoeuvrability









Included accessories	Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
 HOSE REEL NILFISK ACCESSORY	106403184	0	•		
<b>Spray Gun</b>					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
<b>Tornado Lance</b>					
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	•	•	•
<b>Tornado Nozzle with Indication Ring</b>					
 NOZZLE 0500 INDICATION RING YELLOW	101119741	0			•
 NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0	•	•	
 TORNADO NOZZLE 0475	301150005	0			

• Standard equipment

Included accessories	Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
<b>Ergo System Coupling and Adapter</b>				
 ERGO COUPLING KIT	101119496	0	•	•
<b>High Pressure Female Coupling</b>				
 HOSE NOZZLE 20R3/4	61369	0	•	•
<b>High Pressure Hose, DN8</b>				



High performance, long life & optimal manoeuvrability

Included accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	•	
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0		•
<b>Hose Reel</b>					
	HOSE REEL NILFISK ACCESSORY	106403184	0	•	
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•
<b>Tornado Lance</b>					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	•	•
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	•	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0		
	TORNADO NOZZLE 0475	301150005	0		•

Model	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
Ref. no.	107146950	107146955	107146941

PRODUCT FEATURES

EcoPower boiler-high efficiency	•	•	•
Hose reel	•		
Pump oil warning system	•	•	•



## High performance, long life &amp; optimal manoeuvrability

Model	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
Ref. no.	107146950	107146955	107146941

## PRODUCT FEATURES

Service indicator	•	•	•
Automatic on/off and delayed action	•	•	•
Flame sensor	•	•	•

Model	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
Ref. no.	107146942	107146948

## PRODUCT FEATURES

EcoPower boiler-high efficiency	•	•
Hose reel	•	
Pump oil warning system	•	•
Service indicator	•	•
Automatic on/off and delayed action	•	•
Flame sensor	•	•





Technical specifications	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
Pump Pressure (bar/MPa)	210/21	210/21	100/10
Cleaning impact (kg/force)	6.1	6.1	2.7
Pump (RPM)	1450	1450	1450
Power consumption (kW)	7.9	7.9	2.9
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/13.5	400/3/50/13.5	230/1/50/13
Water flow Qmax/Qiec (l/h)	1100/1050	1100/1050	760/680
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption at ΔT=45°C (kg/h)	4.7	4.7	3
Fuel tank (l)	30	30	30
Detergent tank (l)	A: 10 + B: 10	A: 10 + B: 10	A: 10 + B: 10
Nozzle size	.0550	.0550	.0500
Max. inlet temperature (°C)	40	40	40
Ceramic pistons	3	3	3
Length x width x height (mm)	1188x700x1020	1188x700x1020	1188x700x1020
Weight (kg)	179	174	167
Recommended avg. hours of use per day	5	5	5



High performance, long life & optimal manoeuvrability












Technical specifications	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
Pump Pressure (bar/MPa)	100/10	200/20
Cleaning impact (kg/force)	2.7	5.1
Pump (RPM)	1450	1450
Power consumption (kW)	2.9	7.2
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/13	400/3/50/12
Water flow Qmax/Qieq (l/h)	760/680	960/900
Water temperature (water/steam) (°C)	90/150	90/150
El cable (m)	5	5
Fuel consumption at ΔT=45°C (kg/h)	3	3.9
Fuel tank (l)	30	30
Detergent tank (l)	A: 10 + B: 10	A: 10 + B: 10
Nozzle size	.0500	.0475
Max. inlet temperature (°C)	40	40
Ceramic pistons	3	3
Length x width x height (mm)	1188x700x1020	1188x700x1020
Weight (kg)	170	171
Recommended avg. hours of use per day	5	5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
<b>Special Nozzle</b>					
 CONTAINER CLEANING NOZZLE	15861	0	○	○	○
 NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0	○	○	○
 NOZZLE PROTECTION CAP PA	18430	0	○	○	○
 VARIO-NOZZLE CASING 1/8	5888	0	○	○	○
<b>Hose and Connection</b>					














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○	○
<b>High Pressure Male Coupling</b>						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○	○














## High performance, long life &amp; optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	NITO COUPLING HOSE END 1	1604669	0	○	○	○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○	○
	HOSE NOZZLE 20R3/4	61369	0	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	0	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN AND PIPE HPW SET DN8 15M SAE100R7	128501792	0	○	○	○














High performance, long life & optimal manoeuvrability

Accessories	Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
 DRAIN AND PIPE HPW SET DN8 30M SAE100R7	128501793	0	○	○	○
 PIPE CLEANING HOSE 10M DN4	301002490	0	○	○	○
 PIPE CLEANING HOSE 20M DN4	301002491	0	○	○	○
 PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○	○
<b>TurboHammer Nozzle</b>					
 NOZZLE TURBOHAMMER HEAD .0550 W11	48875	0	○	○	○
<b>Filter Pressure Washer</b>					
 CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○	○
 FILTER FOR WATER BREAK TANK ACCESSORY	106403194	0	○	○	○
<b>Non Blacking High Pressure Hose, DN10</b>					
 HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○	○	○
 HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○	○	○
 HP HOSE DN10 GREY 20000 AGR-AGR	1401991	0	○	○	○
 HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○	○	○





High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	0	○	○	○
<b>High Pressure Hose, DN10</b>						
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	○	○	○
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○	○	○
<b>High Pressure Hose, DN8</b>						














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	10 M 2 WIRE HOSE 5/16 DN8	1405569	0	○	○	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	●	○	○
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0	○	●	●
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○	○
<b>Ergo System Coupling and Adapter</b>						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○	○
	ERGO COUPLING KIT	101119496	0	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	0	○	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	0	○	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○	○
<b>High Pressure Hose, DN12</b>						














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	HP HOSE DN12 10000 AGR-AGR	4810219	0	○	○	○
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○	○	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○	○	○
<b>Brush Rotary</b>						
	BRISTLE. LONG	6401431	0	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	0	○	○	○
	ROTARY BRUSH 055 L800 MM	6400018	0	○	○	○
<b>Special Lance</b>						
	CURVED LANCE L1090 MM	6402016	0	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○	○
<b>Hose Reel</b>						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	HOSE REEL NILFISK ACCESSORY	106403184	0	•	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○	○
<b>Abrasive Blasting</b>						
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0	○	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○	○
<b>Injector and Foam Sprayer</b>						
	03 INJECTOR COMPLETE	6401247	0	○	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	0	○	○	○













High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	FOAM INJECTOR W BYPASS	6401242	0	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	0	○	○	○
	FOAM INJECTOR STANDARD	6401244	0	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○	○
	J1E1LE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○	○	
<b>Liquid Sprayer</b>						
	LIQUID SPRAYER 5S	7110005	0	○	○	○
	LIQUID SPRAYER 10SP	7110010	0	○	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●













High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	REP. KIT SWIVEL JOINT	101119484	0	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0			●
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0	●	●	
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○	○
	TORNADO NOZZLE 0475	301150005	0			
<b>Other</b>						
	CRANE LIFTING EYE	301001090	0	○	○	○
	EXHAUST PIPE 148X197	301001089	0	○	○	○
	SIDE BAR COMPL.	106402110	0	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○	○













High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
<b>FlexoPower Lance</b>						
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	○	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○	○
<b>TurboHammer Lance</b>						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	0	○	○	
<b>Tornado Lance</b>						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○	○
<b>Universal Lance</b>						



High performance, long life & optimal manoeuvrability











Accessories		Ref. no.	Min. required	MH 5M-210/1100 PAX 400/3/50 EU	MH 5M-210/1100 FA 400/3/50 EU	MH 5M-100/760 PA 230/1/50 UK
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	0	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	0	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	0	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	0	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	0	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	0	○	○	○
<b>PowerSpeed Vario Lance</b>						
	POWERSPEED VARIO PLUS 1090 BEND 0530	106403094	0			○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
<b>External Control Unit</b>						
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○	○
















High performance, long life & optimal manoeuvrability

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
<b>Special Nozzle</b>					
	CONTAINER CLEANING NOZZLE	15861	0	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	0	○	○
	NOZZLE PROTECTION CAP PA	18430	0	○	○
	VARIO-NOZZLE CASING 1/8	5888	0	○	○
<b>Hose and Connection</b>					
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○
	WATER INLET HOSE 3/4 P/	6465	0	○	○
<b>High Pressure Male Coupling</b>					
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	0	○	○
	GEKA COUPLING HOSE END 3/4	1311	0	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○
<b>High Pressure Female Coupling</b>					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	0	○	○
	HOSE NOZZLE 20R3/4	61369	0	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	0	○	○
<b>Brush Washing</b>					














## High performance, long life &amp; optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	BRUSH INSERT	10356	0	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○
<b>Drain and Pipe Cleaning</b>					
	DRAIN AND PIPE HPW SET DN8 15M SAE100R7	128501792	0	○	○
	DRAIN AND PIPE HPW SET DN8 30M SAE100R7	128501793	0	○	○
	PIPE CLEANING HOSE 10M DN4	301002490	0	○	○
	PIPE CLEANING HOSE 20M DN4	301002491	0	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○
<b>TurboHammer Nozzle</b>					
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	0		
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	FILTER FOR WATER BREAK TANK ACCESSORY	106403194	0	○	○
<b>Non Blacking High Pressure Hose, DN10</b>					
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	0	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	0	○	○
<b>High Pressure Hose, DN10</b>					
	HP HOSE DN10 1000 AGR-AGR	1402916	0	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	0	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○	○
<b>High Pressure Hose, DN8</b>					
	10 M 2 WIRE HOSE 5/16 DN8	1405569	0	○	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	●	○
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	○	●
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○
<b>Ergo System Coupling and Adapter</b>					
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	ERGO COUPLING KIT	101119496	0	•	•
	HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○
	NIPPEL F. Q-COUP. 3/8 INCH	1600493	0	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	0	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
<b>High Pressure Hose, DN12</b>					
	HP HOSE DN12 10000 AGR-AGR	4810219	0	○	○
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○	○
<b>Brush Rotary</b>					
	BRISTLE. LONG	6401431	0	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	0	○	○
	ROTARY BRUSH 055 1700MM	6400019	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	ROTARY BRUSH 055 L800 MM	6400018	0	○	○
<b>Special Lance</b>					
	CURVED LANCE L1090 MM	6402016	0	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○
<b>Hose Reel</b>					
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○
	HOSE REEL NILFISK ACCESSORY	106403184	0	●	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○
<b>Abrasive Blasting</b>					
	BORONCARBIDE FLAT NOZZLE VSB	6400379	0	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
<b>Injector and Foam Sprayer</b>					
	03 INJECTOR COMPLETE	6401247	0	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	0	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	0	○	○
	FOAM INJECTOR W BYPASS	6401242	0	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	0	○	○
	FOAM INJECTOR STANDARD	6401244	0	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	0	○	○
	J1E1LE FOR FOAM SPRAYER 2 L	106408164	0	○	○















High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0		○
<b>Liquid Sprayer</b>					
	LIQUID SPRAYER 5S	7110005	0	○	○
	LIQUID SPRAYER 10SP	7110010	0	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●
	REP. KIT SWIVEL JOINT	101119484	0	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	●	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0		
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○
	TORNADO NOZZLE 0475	301150005	0		●














High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
<b>Other</b>					
	CRANE LIFTING EYE	301001090	0	○	○
	EXHAUST PIPE 148X197	301001089	0	○	○
	SIDE BAR COMPL.	106402110	0	○	○
<b>Short Lance</b>					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○
<b>FlexoPower Lance</b>					
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	0	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	0	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○
<b>TurboHammer Lance</b>					







High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	0		
<b>Tornado Lance</b>					
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	0	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○
<b>Universal Lance</b>					
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	0	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	0	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	0	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	0	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	0	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	0	○	○



High performance, long life & optimal manoeuvrability

Accessories		Ref. no.	Min. required	MH 5M-100/760 PAX 230/1/50 UK	MH 5M-200/960 FA 400/3/50 EU
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	0	○	○
<b>PowerSpeed Vario Lance</b>					
	POWERSPEED VARIO PLUS 1090 BEND 0530	106403094	0	○	
<b>Surface Cleaning Rotary</b>					
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○
<b>External Control Unit</b>					
	REMOTE CONTROL 2X DETERGENT ACCESSORY	106403196	0	○	○

