SC1500 is an innovative stand-on scrubber dryer providing you with superior efficiency due to unprecedented ease of use, increased performance, high quality and reliability. It is an investment in Nilfisk quality that will pay off year after year.

SC1500 brings ease of use to a whole new level. Just step up and you are ready to go. The intuitive display makes it easy for the operator to handle the machine even for the first time, and the small size and handy steering makes maneuvering easier than ever. Due to its easy handling, high capacity and silent operation SC1500 is the obvious choice for hospitals and health care facilities, schools, office buildings, restaurants, shops and supermarkets as well as sport centers.

Step up to a higher level of quality, performance and reliability.

- Easy handling. Just step up and go OneTouch™ scrub ON/OFF • switch and two brush pressure settings for securing high cleaning performance
- Intuitive dashboard with user-friendly menu for setting parameters for cleaning conditions and floor type
- 44 liter tank with electronic controlled water flow allows cleaning up to 75 minutes per tank
- Low noise level and a silent mode option, makes it ideal for sound sensitive areas and daytime cleaning
- Up to 3.5 hours battery running time and optional on board charger increase productivity, performance and reliability
- Ecoflex<sup>™</sup> detergent mixing system(optional)

#### • Standard equipment

	Included accessories	Ref. no.	Min. required	SC1500 51D
Squeegee Blade				
	SQUEEGEE KIT-BLADE-LINATEX	56104483	1	•
Splash Guard				
	SKIRT BRUSH	56104240	1	•
Other	Other			
	DEBRIS CAGE KIT	56104360	1	•
Ø	KIT-REFILLING HOSE	56112355	1	•

Model	SC1500 51D
Ref. no.	56104002
PRODUCT FEATURES	
Battery version	•
One-Touch <sup>™</sup> control panel	•

Debris tray	•
Ecoflex prepared	•





Picture shown may not represent model quoted

PRODUCT FEATURES Squeegee Fechnical specifications SC11 Max. running time (hour) 3.5 H	104002
Squeegee Fechnical specifications SC1 Max. running time (hour) 3.5 H	0.002
Fechnical specifications SC15   Max. running time (hour) 3.5 H	
Max. running time (hour) 3.5 H	•
	500 51D
	HOURS
	8/Rev. 3.5
/oltage (V)	24
	PX3
nsulation class	F
Rated power (W)	840
Brush motor (W)	380
Fraction motor power (W)	280
/acuum motor power (W)	420
Airflow (I/sec.)	26.1
/acuum (kPa)	14.2
Sound pressure level (dB(A)) 63	3 (61)
Productivity rate theoretical/ actual (m²/h) 214	2/1499
Scrubbing width (mm)	510
Vin. aisle turn (cm)	151
Max. climbing rate (%) 4	1.5-8
Nater flow (I/m) 0.	4/1.9
Solution/recovery tank (I) 4	4/46
Squeegee width (mm)	680
Brush pressure (kg) 2	3/40
Brush speed (rpm)	140
Brush quantity and type 1	Disc
Length x width x height (mm) 1230x4	610x1330
Battery compartment size (L x W x H) (mm)457x4	457x283
Gross weight (gvw) (kg)	326
Net weight (kg)	161



ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	SC1500 51D
Pad 20" / 508	mm			
0	PAD 20 508MM ECO BLUE 5PCS	10001956	1	0
lacksquare	PAD 20 508MM ECO GREEN 5PCS	10001958	1	0
0	PAD 20 508MM ECO RED 5PCS	10001959	1	0
0	PAD 20 508MM ECO WHITE 5PCS	10001960	1	o
Special Pad		1		
	PAD 20 508MM ECO BRILLIANCE BLUE 2PCS	10002349	1	0
	PAD 20 508MM ECO BRILLIANCE GREEN 2PCS	10002351	1	0
	PAD 20 508MM ECO BRILLIANCE RED 2PCS	10002348	1	o
	PAD 20 508MM ECO BRILLIANCE YELLOW 2PCS	10002350	1	0
Ecoflex Syste	m			
Ser.	ECOFLEX BOTTLE ASSY	56104190	1	o
	EU CHEMICAL INJECTION KIT	56104192	1	
Squeegee Blade				
	SQUEEGEE KIT-BLADE-LINATEX	56104483	1	•



	Accessories	Ref. no.	Min. required	SC1500 51D
	SQUEEGEE KIT-BLADE-PU	56104325	1	0
Other				
	DEBRIS CAGE KIT	56104360	1	•
0	KIT-REFILLING HOSE	56112355	1	•
On-Board Ch	arger	1	1	
	ON BOARD CHARGER-EU KIT	56104403	1	
Pad Holder				
	PAD HOLDER-20 3 LUG	56505790	1	0
Disc Brush 57	10 mm			
$\bigcirc$	DISC BRUSH-20 AGLITE 3 LUG	56505793	1	0
$\bigcirc$	DISC BRUSH-20 DYNA GRIT 3 LUG	56505792	1	o
0	DISC BRUSH-20 MAGNAGRIT 3 LUG	56505791	1	0
0	DISC BRUSH-20 MIDGRIT 3 LUG	56505797	1	0
	DISC BRUSH-20 MIDLITE 3 LUG	56505798	1	0
0	DISC BRUSH-20 PROLENE 3 LUG	56505794	1	0
-	DISC BRUSH-20 PROLITE 3 LUG	56505795	1	0



	Accessories	Ref. no.	Min. required	SC1500 51D
	DISC BRUSH-20 UNION MIX 3 LUG	56505796	1	0
External Char	ger			
	CHARGER HF 24V 20A SB175R	80522421	1	
80	CHARGER HF 24V 25A SB175R	80542426	1	
Battery				
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	
FT Do 200 Beneficial A	BATT. 6V-200AH WET TUBULAR MONOBLOC	80563200	4	
	BATT. 12V-105AH GEL MONOBLOC	80564400	2	
	BATT. 12V-110AH WET TUBULAR MONOBLOC	80564600	2	
Splash Guard				
	SKIRT BRUSH	56104240	1	•

