

Stationary hot water pressure washers for permanent outside placement

The SH TRUCK is a simple robust and corrosion proof stationary unit for permanent outdoor placement. Enabling constant cleaning of trucks, vans, commercial and construction vehicles, the SH TRUCK is frost protected for use even in winter.






Placed in a parking area or forecourt, the SH TRUCK contains all settings and adjustments inside the lockable cabinet. The unit is then easily operational for multiple users with 4 push button function to select on-off, hot water, detergent without needing to adjust each time. The SH TRUCK is equipped with the high efficiency EcoPower boiler offering reduced fuel consumption and costs. The unit is also equipped with cabinet insulation and electrical powered heater fan for frost protection and all year round cleaning.



Picture shown may not represent model quoted




- Stainless steel robust design against corrosion
- EcoPower boiler for reduced fuel consumption costs
- Silent Power, low noise level with 1450 rpm motor pump units
- Simple control panel with only 4 buttons
- ERGO accessories for added user friendliness
- Internal frost protection down to minus 20°C
- Compact design
- Available in both single phase and three phase formats

• Standard equipment

Included accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Ergo System Coupling and Adapter					
 ERGO COUPLING KIT	101119496	1	•	•	•
High Pressure Female Coupling					
 HOSE NOZZLE 20R3/4	61369	1	•	•	•
High Pressure Hose, DN10					
 HP HOSE DN10 10000 AGR-AGR	6101766	1	•	•	•
Spray Gun					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
Tornado Lance					
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•



Stationary hot water pressure washers for permanent outside placement

Included accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Tornado Nozzle with Indication Ring					
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•	
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•	
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1		•

Model	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Ref. no.	107370810	107370830	107370840

PRODUCT FEATURES

Full ceramic pistons	•	•	•
Stainless steel frame	•	•	•
Automatic standby	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
C3 4-ceramic piston pump	•		
Ergo accessory system	•	•	•
Wdk dual detergent injector	•	•	•
Compact design	•	•	•
Internal heater and insulation for frost protection	•	•	•
Flame sensor	•	•	•
Water brake tank	•	•	•







Technical specifications	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Pump Pressure (bar/MPa)	175/17.5	180/18	85/8.5
Cleaning impact (kg/force)	6.3	4.9	3
Pump (RPM)	1450	1450	1450
Power consumption (kW)	8.2	7.2	3.2
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/17.5	400/3/50/18	230/1/50/15.2
Water flow Qmax/Qiec (l/h)	1260/1170	970/930	850/800



Stationary hot water pressure washers for permanent outside placement












Technical specifications	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Water temperature (water/steam) (°C)	90/150	90/150	90/150
Fuel consumption, motor (Diesel) (kg/h)	5.3	4.3	3.8
Fuel tank (l)	33	33	33
Detergent tank (l)	2 x 25	2 x 25	2 x 25
Nozzle size	.0680	.0550	.0700
Max. inlet temperature (°C)	30	30	30
Ceramic pistons	4	3	3
Length x width x height (mm)	1025x715x1670	1025x715x1670	1025x715x1670
Weight (kg)	262	227	217
Sound power level, re Directive 2000/14/EU (LwA)	92	90	85
Recommended avg. hours of use per day	7	5	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Standard Nozzle 50° 1/8" NPT					
 HP NOZZLE 50070 1/8	5007	1			○
Special Nozzle					
 CONTAINER CLEANING NOZZLE	15861	1	○	○	○
 NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
 NOZZLE PROTECTION CAP PA	18430	1	○	○	○
 VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
Hose and Connection					
 WATER INLET HOSE 3/4 P/	6465	0	○	○	○
High Pressure Male Coupling					














Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
Standard Nozzle 15° 1/8" NPT						
	HP NOZZLE 15070 1/8	1507	1			○
High Pressure Female Coupling						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○












Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
Standard Nozzle 25° 1/8" NPT						
	HP NOZZLE 25055 1/8 INCH NPT	7814	1		○	
	HP NOZZLE 25070 1/8 INCH NPT	2507	1			○
Standard Nozzle 0° 1/8" NPT						
	HP-NOZZLE 0070 1/8	7820	1			○
Abrasive Blasting						
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1		○	
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○	○
	SAND SUPER BLAST 25KG	8379	1	○	○	○
Brush Washing						
	BRUSH INSERT	10356	1	○	○	○











Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
Drain and Pipe Cleaning						
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1	○	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
TurboHammer Nozzle						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1		○	
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1		○	
	TURBOHAMMER NOZZLE W11 070	48981	1			○
Detergent						
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○











Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	ALTO STONE-EX 10 L	81191	1	○	○	○
Filter Pressure Washer						
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	1	○	○	○
Non Blacking High Pressure Hose, DN10						
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	○	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	1	○	○	○
	HP HOSE DN10 GREY 20000 AGR-AGR	1401991	1	○	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	1	○	○	○
	HP HOSE DN10 GREY 30000 AGR-AGR	1402015	1	○	○	○
High Pressure Hose, DN10						
	HP HOSE DN10 1000 AGR-AGR	1402916	1	○	○	○
	HP HOSE DN10 2052 AGR-AGR	1402924	1	○	○	○
	HP HOSE DN10 3000 AGR-AGR	1402932	1	○	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	1	○	○	○












Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	HP HOSE DN10 10000 AGR-AGR	6101766	1	•	•	•
	HP HOSE DN10 15000 AGR-AGR	1402064	1	○	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	1	○	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	1	○	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	1	○	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	1	○	○	○
High Pressure Hose, DN8						
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
Ergo System Coupling and Adapter						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	•	•	•
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	1	○	○	○


Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○	○
Brush Rotary						
	BRISTLE. LONG	6401431	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	1		○	
	ROTARY BRUSH 055 L800 MM	6400018	1		○	
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○	○
Special Lance						
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○	○
Hose Reel						












Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
Injector and Foam Sprayer						
	03 INJECTOR COMPLETE	6401247	1	○	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W. SEALING CAP - 2.5 LTR.	106403162	0	○	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
Other						
	SIDE BAR COMPL.	106402110	1	○	○	○











Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○	○
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1		○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
Tornado Nozzle with Indication Ring						
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1		●	
	NOZZLE 0680 INDICATION RING GREY	101119747	1	●		
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1			●
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
Short Lance						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
FlexoPower Lance						

Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
	FLEXOPOWER PLUS 990 W/O NOZZLE BLUE	106408228	0	○	○	○
	FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE	106408227	0	○	○	○
Tornado Lance						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
Universal Lance						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○

Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stationary Equipment						
	EXHAUST DIVERTER AUTO/TRUCK ACCESSORY	107318048	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	OPTION CLOSED CIRCUIT FROST PROTECTION K	107370971	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	OPTION NO SCALE	107370974	1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Surface Cleaning Rotary						
	HYDROSCRUB P300 P+H	106403187	0			<input type="radio"/>
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>